

CANCER INCIDENS I DANMARK 2000

2004

# Cancer incidens i Danmark 2000

November 2004

**Cancer incidens i Danmark 2000/Cancer Incidence in Denmark 2000**

Sundhedsstyrelsen  
Sundhedsstatistik  
Islands Brygge 67  
2300 København S

E-mail: [sess@sst.dk](mailto:sess@sst.dk)

URL: <http://www.sst.dk>

Emneord: cancer; Cancerregisteret; kræft; sundhedsstatistik

Sprog: dansk og engelsk

Version: 1.0

ISSN: 0109-5749 (Cancer Incidens i Danmark), 0909-4156 (Sundhedsstatistikken)

Oplag: 1.700

Udgivet af Sundhedsstyrelsen - publikationen kan frit refereres med tydelig kildeangivelse

Kan bestilles hos:  
Sundhedsstyrelsens Publikationer  
c/o Schultz Information  
Herstedvang 12  
2620 Albertslund  
Telefon: 7026 2636  
E-mail [schultz@schultz.dk](mailto:schultz@schultz.dk)

Pris: Kr. 162,50

Tekst, tabeller og figurer

Kodepersonale

*Text, tables and figures:*

*Coding personnel:*

Birgitte Brandt, Afdelingslæge  
*Medical Officer*

Anna Abelin  
Lone Becker  
Tove Christensen

Kirsten Møller-Hansen, Afdelingslæge  
*Medical Officer*

Margit Hansen  
Elsebeth Jaller  
Lone Kjeldgaard  
Esther Knudsen  
Gurli Larsen

Milan Fajber, IT-medarbejder  
*IT-manager*

#### Signaturforklaring:

>>	Gentagelse
-	Nul
$\begin{matrix} 0 \\ 0,0 \end{matrix} \}$	Mindre end $\frac{1}{2}$ af den anvendte enhed
•	Tal kan efter sagens natur ikke forekomme
..	Oplysning for usikker eller angives ikke af diskretionshensyn
...	Oplysning foreligger ikke
*	Foreløbige anslåede tal
—	Databrud i en tidsserie. Oplysninger fra før og efter databruddet er ikke fuldt sammenlignelige
	Som følge af afrundinger kan summen af tallene i tabellerne afvige fra totalen.

#### *Symbols:*

>>	Repetition
-	Nil
$\begin{matrix} 0 \\ 0,0 \end{matrix} \}$	Less than 0.5 the final digit shown
•	Not applicable
..	Available information not conclusive or withheld owing to nondisclosure practice
...	Data not available
*	Provisional or estimated figures
—	Break in a series, which means that data above the line are not fully comparable with data below the line
	Due to rounding, the figures given for individual items do not necessarily add up the corresponding totals shown.

## Forord

Med denne publikation stilles mere end 50 års data for cancer incidens i den danske befolkning til rådighed. Data er blevet kodet og præsenteres på en måde, som letter sammenligning. Evaluering af trend over tid og forskelle mellem geografiske områder er således muliggjort som et unikt værktøj til udnyttelse i epidemiologiske analyser og forskning.

Publikationen er baseret på det danske Cancerregister, som indeholder oplysninger om alle danske cancer patienter. Registerets kompletthed og statistikkens akkuratess hviler især på omhyggeligt udfyldte anmeldelsesblanketter i sundhedsvæsenet og indsendt til Sundhedsstyrelsen.

Sundhedsstyrelsens politik vedrørende registrering af sundhedsoplysninger og aktivitet i sundhedssektoren omfatter en højere grad af digitalisering og derigennem et forbedret grundlag for kvalitetssikring og formidling af data. Formålet er at opnå højere datakvalitet i forhold til både aktualitet og indhold. Samtidig indebærer dette en lettelse af indberetningsbyrden sammenlignet med en papirbaseret blanketindberetning.

Fra 1. januar 2004 er den papirbaserede indberetning til Cancerregisteret helt overvejende erstattet af en elektronisk indberetning. Sygehusvæsenet indberetter kun elektronisk via Landspatientregisteret, og primærsektoren indberetter delvist i en dertil udviklet elektronisk blanket. Fra 1. januar 2005 vil al indberetning foregå elektronisk. Fremadrettet vil det bevirke en hurtigere opdatering af Cancerregisteret. Årgangene 2001-2003 afsluttes på baggrund af den papirbaserede indberetning.

## Preface

This publication makes available more than 50 years of data on cancer incidence in the Danish population. Data have been coded and presented so as to facilitate comparison. Evaluations of trends over time and of differences between geographical areas have thus been made possible, creating a unique basis for epidemiological analysis and research.

The publication is based on the Danish Cancer Registry, which contains information on all Danish cancer patients. The completeness of the Registry and the accuracy of the statistics rely particularly on the careful completion of notifications, which are sent to the National Board of Health.

The policy of the National Board of Health on registration of public health data and activity in the health sector includes a higher degree of digitalisation and thereby also an improved basis for quality assurance and dissemination of data. The purpose is to obtain a higher quality of data in respect to both actuality and content. At the same time, this will make reporting easier compared to a paper based notification procedure.

The paper-based notification to the Danish Cancer Registry has since 1 January 2004 been replaced almost completely by electronic notification. The secondary health sector notifies only electronically through the National Patient Registry. The primary health sector partly notifies by way of a specially developed electronic notification and partly still paper-based. All notification will become electronic from 1 January 2005. Looking forward this will imply a quicker update of the Cancer Registry. The years 2001-2003 will be finalised based on the paper notifications.

Sundhedsstyrelsen, November 2004 / National Board of Health, November 2004

Jens Kristian Gøtrik

Morten Hjulsgaard

## Indholdsfortegnelse

<b>Forord</b> .....	<b>4</b>
<b>Oversigt over tabeller og figurer</b> .....	<b>6</b>
<b>Indledning</b> .....	<b>8</b>
<b>Datakilder</b> .....	<b>8</b>
<b>Sygdomme beskrevet i denne publikation</b> .....	<b>10</b>
<b>Registrering og kodning</b> .....	<b>11</b>
<b>Registreringsnøgle</b> .....	<b>12</b>
<b>Data for hver tumor</b> .....	<b>12</b>
<b>Data for hver person</b> .....	<b>13</b>
<b>Klassifikation af tumorer</b> .....	<b>13</b>
<b>Multiple primære tumorer</b> .....	<b>14</b>
<b>Bopæl</b> .....	<b>14</b>
<b>Befolkning og aldersstandardiserede incidensrater</b> .....	<b>15</b>
<b>Antal nye cancertilfælde</b> .....	<b>18</b>
<b>Tendenser i cancer incidensen</b> .....	<b>19</b>
<b>Prævalens</b> .....	<b>20</b>
<b>Forsigtighed ved fortolkning</b> .....	<b>20</b>
<b>Referencer</b> .....	<b>27</b>
<b>Relevante websider</b> .....	<b>29</b>

## Table of Contents

<i>Preface</i> .....	<i>4</i>
<i>Overview tables and figures</i> .....	<i>6</i>
<i>Introduction</i> .....	<i>8</i>
<i>Sources of information</i> .....	<i>8</i>
<i>Diseases reported in this publication</i> .....	<i>10</i>
<i>Registration and coding</i> .....	<i>11</i>
<i>Registration key</i> .....	<i>12</i>
<i>Data for each tumour</i> .....	<i>12</i>
<i>Data for each person</i> .....	<i>13</i>
<i>Classification of tumours</i> .....	<i>13</i>
<i>Multiple primaries</i> .....	<i>14</i>
<i>Place of residence</i> .....	<i>14</i>
<i>Population and age-standardised incidence rates</i> .....	<i>15</i>
<i>Cancer incidence in Denmark 2000</i> .....	<i>18</i>
<i>Number of new incident cancer cases</i> .....	<i>18</i>
<i>Trends in cancer incidence</i> .....	<i>19</i>
<i>Prevalence</i> .....	<i>20</i>
<i>Caution regarding interpretation</i> .....	<i>20</i>
<i>References</i> .....	<i>27</i>
<i>Relevant websites</i> .....	<i>29</i>

## Tabeller og figurer/ *Tables and figures*

Figur 1	Amter i Danmark og København og Frederiksberg kommuner.	17
<i>Figure 1</i>	<i>Counties of Denmark and the municipalities of Copenhagen and Frederiksberg.</i>	<i>17</i>
Figur 2A	Den procentvise fordeling af aldersstandardiserede incidensrater (verdensbefolkning) for neoplasmer i forskellige organer. Mænd 2000.	22
<i>Figure 2A</i>	<i>Proportional percentage distribution of age-standardised incidence rates (World Standard Population) for neoplasms in different organs. Males 2000.</i>	<i>22</i>
Figur 2B	Den procentvise fordeling af aldersstandardiserede incidensrater (verdensbefolkning) for neoplasmer i forskellige organer. Kvinder 2000.	22
<i>Figure 2B</i>	<i>Proportional percentage distribution of age-standardised incidence rates (World Standard Population) for neoplasms in different organs. Females 2000.</i>	<i>22</i>
Figur 3A	Cancer incidens i 2000. Mænd. 10 hyppigste lokalisationer.	23
<i>Figure 3A</i>	<i>Incidence of cancer in 2000. Males. 10 frequent sites</i>	<i>23</i>
Figur 3B	Cancer incidens i 2000. Kvinderppigste lokalisationer.	23
<i>Figure 3B</i>	<i>Incidence of cancer in 2000. Females. 10 frequent sites</i>	<i>23</i>
Figur 4A	Prævalensen af cancer den 31. december 2000. Mænd. 10 hyppigste lokalisationer.	24
<i>Figure 4A</i>	<i>Prevalence of cancer at 31 December 2000. Males. 10 frequent sites.</i>	<i>24</i>
Figur 4B	Prævalensen af cancer den 31. december 2000. Kvinder. 10 hyppigste lokalisationer.	24
<i>Figure 4B</i>	<i>Prevalence of cancer at 31 December 2000. Females. 10 frequent sites.</i>	<i>24</i>
Tabel 1	Sygdomme som anmeldes til det danske Cancerregister anført i henhold til deres kode i den 10. revision af den internationale sygdomsklassifikation (ICD-10).	11
<i>Table 1</i>	<i>Diseases reported to the Danish Cancer Registry coded in accordance with the 10<sup>th</sup> Revision of the International Classification of Diseases (ICD-10).</i>	<i>11</i>
Tabel 2	Tendenser i de standardiserede incidensrater per 100.000 personår (verdensbefolkning) i Danmark 1946-2000. Totale rater og 10 hyppige lokalisationer for hvert køn. Femårs gennemsnit.	25
<i>Table 2</i>	<i>Trends in standardised incidence rates per 100,000 person-years (World Standard Population of Segi, ref. 12) in Denmark 1946-2000. Total rates and 10 frequent sites for each sex separately. Five-year averages.</i>	<i>25</i>
Tabel 3:	Antallet af nydiagnostiserede cancertilfælde i 2000 fordelt efter primær lokalisati- on, alder og køn, og aldersstandardiserede incidensrater (verdensbefolkning) pr. 100.000 indbygger.	32
<i>Table 3:</i>	<i>Number of newly diagnosed cases of cancer in 2000 by primary site, age and sex, and agestandardized incidence rates (World) per 100,000 inhabitants.</i>	<i>32</i>
Tabel 4:	Antallet af nydiagnostiserede cancertilfælde i København og Frederiksberg kom- mune og i de danske amter i 2000, fordelt efter region, lokalisation og køn.	38
<i>Table 4:</i>	<i>Number of newly diagnosed cases of cancer in the municipalities of Copenhagen and Frederiksberg and in Danish counties in 2000 by region, primary site and sex.</i>	<i>38</i>
Tabel 5:	Diagnosegrundlag for nydiagnosticerede cancertilfælde i Danmark 2000 opdelt efter primær lokalisation og køn.	44
<i>Table 5:</i>	<i>Verification of diagnosis in newly diagnosed cases of cancer in Denmark 2000 by primary site and sex.</i>	<i>44</i>

Tabel 6:	Antallet af nydiagnostiserede tilfælde af dysplasi og carcinoma in situ på cervix uteri fordelt efter alder og region i 2000.	50
<i>Table 6:</i>	<i>Number of newly diagnosed cases of dysplasia and carcinoma in situ of the cervix uteri by age and region in 2000.</i>	50
Tabel 7:	Det årlige antal af nydiagnosticerede cancertilfælde i Danmark 1991-2000 efter primær lokalisation og køn.	56
<i>Table 7:</i>	<i>Annual number of newly diagnosed cases of cancer in Denmark 1991-2000 by primary site and sex.</i>	56
Tabel 8:	Prævalensen den 31. December 2000 opdelt efter primær lokalisation og køn.	59
<i>Table 8:</i>	<i>Prevalence at 31 December 2000, by primary site and sex.</i>	59
<b>Appendix</b>		
Tabel 9:	Danmarks middelbefolkningstal, 2000.	62
<i>Table 9:</i>	<i>Average population of Denmark, 2000.</i>	62
Tabel 10:	Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD-7).	64
<i>Table 10:</i>	<i>Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases (ICD-7).</i>	64
Tabel 11:	Detaljeret tumorklassifikation (morfologi/opførsel) for prækankrøse læsioner på cervix uteri (topografi, ICD-O 180) som den anvendes i det danske Cancerregister.	84
<i>Table 11:</i>	<i>Detailed tumour classification (morphology/behaviour) of precancerous lesions of the cervix uteri (topography ICD-O 180) used by the Danish Cancer Registry.</i>	84

# Cancer i Danmark

## Indledning

Det danske Cancerregister virker i henhold til Bekendtgørelse om lægers anmeldelse til Cancerregisteret af kræftsygdomme m.v. (Nr. 36 af 23. januar 2004), samt Lov om Persondata (lov nr. 429 af 31. maj 2000), som indførte EU-direktiv 95/46 EF. Indberetning er obligatorisk og adgang til andre data end statistiske data er reguleret, således at kun autoriserede personer har adgang til disse.

## Datakilder

Cancerregisteret i Danmark blev startet på frivillig basis i 1942, og data er tilgængelige fra 1943. Den 1. marts 1987 blev der for læger indført pligt til at anmelde ondartede og dermed beslægtede sygdomme til det danske Cancerregister (1). De nuværende procedurer (2) er de samme som under perioden med anmeldelser på frivillig basis. Fra 1987 blev der suppleret med kobling til det nationale Landspatientregister. Den 1. januar 1997 blev Cancerregisteret flyttet fra Kræftens Bekæmpelse til Sundhedsstyrelsen.

Anmeldelse indsendes til det danske Cancerregister fra sygehusafdelinger, når et cancer-tilfælde er diagnosticeret og ved ændring i den oprindelige diagnose. Endvidere anmeldes første gang en patient behandles eller kontrolleres for sygdommen. Patologiafdelinger og retsmedicinske institutter er anmeldelsespligtige, når der er udført autopsi på en patient med cancer. Tilfælde, som først diagnosticeres ved autopsi, anmeldes også. Alle data registreres uafhængig af om tilfældet var mistænkt før døden eller var et uventet autopsifund.

# Cancer in Denmark

## Introduction

The Danish Cancer Registry operates under the Announcement of physicians reporting to the Cancer Registry of cancer and related diseases. (Nr. 36 af 23. januar 2004), and act on Processing of Personal Data (act no. 429 of 31 May 2000) which implemented EU directive 95/46/EC. Reporting is compulsory and access to data other than statistical ones is regulated, so that only authorised persons has access to these data.

## Sources of information

Cancer registration began in Denmark on a voluntary basis in 1942, and data are available as from 1943. On 1 March 1987, notification by physicians of malignant and related diseases to the Danish Cancer Registry was made compulsory in Denmark (1). The procedures used at present (2) are the same as those used during the period of voluntary reporting. Since 1987 data have been supplemented with data from the National Patient Registry. On 1 January 1997, the Danish Cancer Registry was transferred from the Danish Cancer Society to the National Board of Health.

Notifications are forwarded to the Danish Cancer Registry from hospital departments when a case of cancer is diagnosed and in case of changes in the initial diagnosis. Furthermore a case is reported when a patient first receives treatment or the disease is first monitored. In addition, reports are received from departments of pathology and of forensic medicine stating the results of autopsies of cancer patients. Cases first diagnosed at autopsy are also notified. All data are entered in the Registry irrespective of whether the cancer was suspected prior to death or was an incidental finding during the autopsy.

Cancerregisteret modtager også anmeldelser fra alment praktiserende læger og speciallæger. Antallet af anmeldelser herfra er øget efterhånden, som flere patienter behandles udenfor sygehusvæsenet. Ca. 10 pct. af det årlige antal nye tilfælde anmeldes fra disse kilder, og halvdelen af disse er hudcancer. Betydningen af praktiserende speciallæger som kilde blev studeret i 1988 (3). Systematisk dækning af alle praktiserende dermatologer i landet er opnået gradvist for at fuldstændiggøre registreringen af non-melanom hud cancer. Et lignende samarbejde er etableret med praktiserende gynækologer, som anmelder prækankrøse læsioner på cervix uteri diagnosticeret og behandlet udenfor sygehusvæsenet.

Fra incidensåret 1987 og fremefter er cancer-tilfælde også blevet identificeret ved kobling med Landspatientregisteret. Dette register indeholder udskrivningsdiagnoser for alle indlagte sygehuspatienter i Danmark, og fra 1995 er også ambulante patienter registreret. På de cancerpatienter, som findes ved koblingen, og som ikke allerede er registrerede i Cancerregisteret, bliver der sendt en forespørgsel til det behandlende sygehus med anmodning om en anmeldelse af tilfældet. Intet cancertilfælde bliver registreret i Cancerregisteret udelukkende ud fra oplysninger i Landspatientregisteret.

Kobling mellem Cancerregisteret og Dødsårsagsregisteret, som indeholder oplysninger fra alle dødsattester, bidrager med ikke anmeldte cancertilfælde, som kun er anført på dødsattesterne. En opfølgning på disse tilfælde gennemføres hvert år for at skaffe yderligere information. Kun en lille andel af cancertilfældene (1-2 pct.) er baseret udelukkende på oplysninger fra dødsattesterne. I forbindelse med koblingen med Dødsårsagsregisteret bliver oplysninger om dødsårsager tilføjet på alle afdøde cancerpatienter.

Navne og andre demografiske data på diagnosetidspunktet for alle registrerede cancertilfælde bliver overført til registeret ved kobling med det Centrale Person Register.

The Registry also receives notification from general practitioners and practising specialists. The number of reports received from this source is increasing as more patients are treated on an out-patient basis. Some 10 pct. of the annual incidences are reported from this source alone, half of which are skin cancers. The importance of using practising specialists as a source of information was studied for the incidence year 1988 (3). Systematic coverage of all practising dermatologists in the country has been achieved gradually so as to make a complete registration of non-melanoma skin cancers. A similar teamwork has been established with practising gynaecologists, who notify pre-cancerous lesions of the cervix uteri diagnosed and treated outside hospitals.

For the incidence year 1987 and onwards, cancer cases have also been identified through linkage to the National Patient Registry. This Registry holds discharge diagnoses for all in-patient hospital admissions in Denmark, and from 1995, discharge diagnoses for all out-patients have likewise been registered. Each identified cancer patient not otherwise reported to the Danish Cancer Registry is traced by sending a letter to the treating hospital, requesting a standard notification. No case is included on the basis of the National Patient Registry alone.

Linking data from the Danish Cancer Registry and the Danish Registry of Causes of Death – which holds information from all death certificates – provides additional data on unreported cancer cases that appear only on death certificates. A thorough follow-up procedure is carried out each year to obtain further information on such cases. It is merely a small proportion of cases (1-2 per cent) that is based on death certificate information only. In connection with the data linkage, the date and cause of death are also registered for all deceased cancer patients.

Names and other demographic data on the date of diagnosis for all notified cancer patients are transferred to the Registry through a linkage to the Civil Registration System.

## Sygdomme beskrevet i denne publikation

Det danske Cancerregister efterspørger anmeldelse på alle tilfælde af carcinom, sarkom, lymfom, myelomatose og mycosis fungoides. Yderligere er der anmeldelsespligt på følgende tumorldignende og benigne læsioner:

1. Prækankrøse tumorer i urinveje (nyre, pelvis, ureter, urinblære og urethra). Disse indgår i incidenstabellerne med opståelseslokalisering.
2. Histologisk benigne tumorer i centralnervesystemet og dets hinde. Disse indgår i incidenstabellerne med opståelseslokalisering.
3. Carcinoma in situ og epiteldysplasi diagnosticeret ved biopsi eller celleprøve fra cervix uteri. Disse tilstande anmeldes som prækankrøse læsioner og bliver ikke medregnet i cervix cancer i tabellerne, men opgøres separat i tabel 6.

Den 1. januar 1994 blev den 10. revision af den internationale klassifikation af sygdomme, ICD-10 (4) indført i Danmark. Tabel 1 specificerer ICD-10 koder, som dækker de anmeldelsespligtige tilstande.

## *Diseases reported in this publication*

The Danish Cancer Registry requests reports on all cases of carcinoma, sarcoma, leukaemia, lymphoma, multiple myeloma and mycosis fungoides. In addition, notification is requested for the following tumour-like and benign lesions:

1. Papillomas of the urinary tract (renal, pelvis, ureter, urinary bladder, urethra). These are included in incidence tables with the site of origin.
2. Histologically benign tumours of the central nervous system and meninges. These are included in incidence tables with the site of origin.
3. Carcinoma in situ and epithelial dysplasia diagnosed at biopsy or smear test of the cervix uteri. These conditions are reported as precancerous lesions and are not tabulated with invasive cancer of the cervix uteri, but appear in table 6.

On 1 January 1994, the 10th Revision of the International Classification of Diseases, ICD-10 (4) was implemented in Denmark. Table 1 specifies the tumours reported to the Danish Cancer Registry coded in accordance with the ICD-10.

**Tabel 1 Sygdomme som anmeldes til det danske Cancerregister anført i henhold til deres kode i den 10. revision af den internationale sygdomsklassifikation (ICD-10).**

*Table 1 Diseases reported to the Danish Cancer Registry coded in accordance with the 10<sup>th</sup> Revision of the International Classification of Diseases (ICD-10).*

<u>Maligne tumorer</u>		<u>Malignant tumours</u>	
B21	HIV infektion medførende ond- artet svulst	B21	Human immunodeficiency virus (HIV) disease resulting in malign- ant neoplasms
C00-C97	Ondartede tumorer	C00-C97	Malignant neoplasms
<u>Tumorer af usikker eller ukendt karakter</u>		<u>Tumours of uncertain or unknown behaviour</u>	
D37-D48	Svulster af usikker eller ukendt karakter	D37-D48	Neoplasms of uncertain or un- known behaviour
O01	Mola vandblære	O01	Hydatidiform mole
<u>Andre anmeldelsespligtige tumorer</u>		<u>Other reportable tumours</u>	
D090-D091	Carcinoma in situ i urinblære og andre og ikke specificerede urinorganer	D090-D091	Carcinoma in situ of urinary bladder and other and unspecified urinary organs
D30	Godartede svulster i urinveje	D30	Benign neoplasms of urinary or- gans
D32-D33	Godartede svulster i hjernehin- der, hjerne og andre dele af centralnervesystemet	D32-D33	Benign neoplasms of brain, meninges and other parts of the central nervous system
D352-D354	Godartede svulster i intrakra- nielle kirtler	D352-D354	Benign neoplasms of intracranial glands
D06	Carcinoma in situ på cervix uteri	D06	Carcinoma in situ of cervix uteri
N87	Dysplasi på cervix uteri	N87	Dysplasia of cervix uteri
D076	Carcinoma in situ i testis	D076	Carcinoma in situ of testis
E340	Karcinoidt syndrom	E340	Carcinoid syndrome

Andre prækankrøse læsioner, som også anmeldes, bliver registreret i Cancerregisteret i en særlig kategori og er ikke specificeret her.

Other precancerous lesions, which are also reported, are recorded in the Registry in separate categories and are not specified here.

### Registrering og kodning

De informationer det danske Cancerregister indsamler rubriceres på person- og tumorniveau. En person identificeres på sit personnummer, som af det Centrale Personregisteret tildeles personer med fast bopæl i Danmark. Personnummersystemet blev indført i Danmark 1. april 1968. Med få undtagelser kan enhver person, som var i live 1. april 1968, blev født eller blev indbygger i Danmark efter den dato, identificeres ved hjælp af sit personnummer.

### Registration and coding

The information collected by the Danish Cancer Registry is classified by person and by tumour. The unique personal identification number given by the Civil Registration System to each Danish resident identifies persons included in the Registry. The Civil Registration System was set up in Denmark 1 April 1968. With few exceptions, a personal identification number can identify every person in the Registry who was alive on 1 April 1968, or who was born or became a resident in Denmark after that date.

For at undgå fejl ved identifikationen bliver alle anmeldte cancerpatienter kontrolleret i det Centrale Person Register, og navne og anden information overføres til Cancerregisteret derfra.

Oplysningerne på anmeldelsesblanketterne kodes, indtastes i et EDB system, kontrolleres og lagres på elektronisk medie. Herved opdateres cancerregisterets hovedregister. Det elektroniske hovedregister indeholder følgende anmeldte, overførte eller afledte data:

### **Registreringsnøgle**

Personnummer (indeholder fødselsdag og køn)

### **Data for hver tumor**

Tumorkarakteristika:

1. Topografi (ICD-O; siden 1978)
2. Histologi (ICD-O; siden 1978)
3. Opførsel (ICD-O; siden 1978)
4. Grad (kun for urinvejstumor)
5. Sideangivelse (alle parrede organer; siden 1978)
6. Diagnose (ICD-7; modificeret version (se appendix Tabel 10))
7. Tumors udbredelse på diagnosetidspunktet
8. Diagnosegrundlag
9. Behandling (påbegyndt indenfor fire måneder efter diagnosedato)
10. Sygehusafdeling (kun 1957-83)
11. Diagnosedato
12. Tumors nummer (i rækkefølgen for personen)

Personkarakteristika på diagnosetidspunktet

1. Navn (forkortet)
2. Køn
3. Alder
4. Bopælskommune
5. Beskæftigelse
6. Civilstand

In order to avoid erroneous identification the identity of each notified cancer patient is cross-checked against the Civil Registration System, and names and other information are transferred to the Danish Cancer Registry.

The notified information is coded and checked and then filed electronically. After the electronic data check has been completed, the Registry. The electronic Registry includes the following notified, transferred or derived data:

### **Registration key**

Personal identification number (including date of birth and sex)

### **Data for each tumour**

Tumour characteristics:

1. Topography (ICD-O; since 1978)
2. Histology (ICD-O; since 1978)
3. Behaviour (ICD-O; since 1978)
4. Grade (urinary-tract tumours only)
5. Laterality (all paired organs; since 1978)
6. Diagnosis (ICD-7; modified version (see appendix Table 10))
7. Extent of tumour at time of diagnosis
8. Basis of diagnosis
9. Treatment (initiated within four months after diagnosis)
10. Hospital department (1957-83 only)
11. Date of diagnosis
12. Tumour number (consecutive in a person)

Personal characteristics at date of diagnosis:

1. Name (abbreviated)
2. Sex
3. Age
4. Municipality
5. Occupation
6. Marital status

### **Data for hver person**

Oplysninger om død og emigration:

1. Dødsårsager
2. Dødsdato
3. Dødssted
4. Emigrationsdato

Tekniske data:

1. Anmeldende sygehusafdeling/ speciallæge (siden 1984)
2. ICD-10 kode for hver anmeldelsesblanket (1994-2001)
3. Uge for modtagelse af anmeldelsesblanket
4. Opdateringsdatoer

Alle færdigbehandlede anmeldelsesblanketter er indtil 2001 blevet mikrofilmet. Siden er blanketterne blevet skannet og lagret i en database. Dette giver ad hoc adgang til oplysninger, som ikke er medtaget i det elektroniske register.

### **Klassifikation af tumorer**

Særlig uddannet personale koder de medicinske oplysninger under tilsyn af læger tilknyttet registeret.

Siden 1978 er alle nye tumorer blevet kodet i henhold til reglerne i ” International Classification of Diseases for Oncology (ICD-O), udsendt af WHO (5). Denne klassifikationsregler er blevet tilpasset til det danske Cancerregisters behov. For at opretholde sammenligneligheden med oplysninger i registeret for perioden 1943-77 blev der skabt et elektronisk konverteringsprogram til at omsætte ICD-O klassifikationen til den modificerede version af den 7. revision af den internationale klassifikation af sygdomme (ICD-7), som blev brugt i det danske Cancerregister til og med 1977 (6). Alle tumorer i registeret, som er diagnosticeret efter 1977, bliver således klassificeret både i henhold til ICD-O og den modificerede ICD-7 kode.

### **Data for each person**

Information on death and emigration:

1. Causes of death
2. Date of death
3. Place of death
4. Date of emigration

Technical data:

1. The notifying hospital department/practising specialist (since 1984)
2. ICD-10 code for each notification form (1994-2001)
3. Week of arrival of notification forms
4. Updating dates

Until 2001, all notifications were saved on microfilm. Since then the notifications have been scanned and saved in a database. This allows for ad hoc access to information not included in the electronic register.

### **Classification of tumours**

Specially trained personnel under the supervision of the registry medical staff code the medical information.

Since 1978, all incident tumours have been coded according to the International Classification of Diseases for Oncology (ICD-O) from the World Health Organization (5). The classification system rules have been adapted to serve the purposes of the Danish Cancer Registry. In order to maintain comparability with the information in the Registry for the period 1943-77, an electronic conversion programme has been created to generate the modified version of the 7th Revision of the International Classification of Diseases (ICD-7) used by the Danish Cancer Registry until 1977 (6). All tumours in the Registry diagnosed after 1977 are thus classified according to both the ICD-O code and the modified ICD-7 code.

### ***Multiple primære tumorer***

Det elektroniske register er person og tumor baseret. Hvis en person udvikler mere end én primær tumor, bliver hver tumor registreret og talt som en individuel optegnelse. I perioden 1943-77 blev uafhængige primære tumorer defineret som tumorer opstået i forskellige organer. Siden 1978 er uafhængige primære tumorer blevet defineret som tumorer, der opstår i forskellige organer eller i forskellige dele af organer specificeret ud fra den firecifrede topografikode i ICD-O så vel som separate tumorer opstået i samme organ, men med forskellige morfologiske karakteristika specificeret af den firecifrede morfologikode i ICD-O. Dog bliver tumorer opstået i samme organ eller naboområder markeret og bliver kun accepteret efter nøje overvejelse, der ofte inkluderer en forespørgsel til klinikere/ patologer.

Multiple tumorer i huden med samme morfologi (d.v.s. med samme tre første cifre i morfologikoden) registreres kun én gang, selv om de er lokaliseret i forskellige regioner. En speciel kode indikerer at en person har multiple hudcancer. En detaljeret rapport om multiple primære tumorer, i perioden 1943-80 (7), og om faktorer der influerer på antallet af tumorer (8), er publiceret separat. De årlige publikationer fra det danske Cancerregister følger ikke de internationale rekommandationer (IACR/IARC) for multiple tumorer (9), idet de inkluderer flere tumortilfælde.

### ***Bopæl***

Bopæl på diagnosetidspunktet for en given cancer bliver registreret for hver enkelt tumor, og cancertilfælde er i nærværende rapport tabuleret på amtsniveau, som vist i Figur 1. Det gennemsnitlige antal af personår i risiko for hver administrative enhed (amt) er angivet i Tabel 9 i appendix.

En rapport om risiko for cancer på kommuneniveau i Danmark i perioden 1970-79 er blevet publiceret separat(10).

### ***Multiple primaries***

The electronic Registry is person-based and tumour-based. If a person develops more than one primary tumour, each tumour is entered and counted as an individual record. During the period 1943-77, independent primaries were defined as tumours arising in different organs. Since 1978, independent primaries have been defined as tumours arising in different organs or in different parts of organs, as specified by the four-digit topography code in ICD-O, as well as separate tumours arising in the same organ site with different morphological characteristics, as specified by the four-digit morphology code in ICD-O. However, tumours arising within the same organ or adjacent organs are flagged and accepted as multiple primaries only after careful scrutiny, often including inquiries to the clinicians/ pathologists.

Multiple tumours of the skin with identical morphological characteristics (i.e. the same first three digits of the morphology code) are only recorded once, even when they are located on different parts of the body. A special code indicates that the person has multiple skin cancers. A detailed report for multiple primaries for the period 1943-80 (7) and on factors influencing the number of tumours (8) has been published separately. The annual publications from the Danish Cancer Registry do not follow the international recommended rules (IACR/IARC) for multiple primary cancers (9), as they include more tumour cases.

### ***Place of residence***

Place of residence at the time of diagnosis of a given cancer is recorded in the Registry for each tumour, and cancer cases are tabulated in the current report for each administrative area (county), as shown in figure 1. The average number of person-years at risk for each administrative area is given in Table 9 in the appendix.

A report on cancer risk by municipality in Denmark for the period 1970-79 has been published separately (10).

## Befolkning og aldersstandardiserede incidensrater

Incidensen af cancer er defineret som antal nye tumorer opstået i en given periode divideret med personår i risiko. For det enkelte år således:

$$\text{incidens} = \frac{\text{antal nye tilfælde det pågældende år}}{\text{middelbefolkningen det pågældende år}}$$

Data vedrørende antallet af nye tilfælde tabuleres i denne publikation. For middelbefolkningen i et givet år bruges befolkningen den 1. juli i det år som det foreligger fra Danmarks Statistik (11).

Aldersspecifikke incidensrater bruges til at udlede de direkte aldersstandardiserede rater, som er anført i denne rapport. Ved direkte standardisering bliver de aldersspecifikke rater vægtet for at opnå et samlet estimat for incidensen. De vægte, der bruges, angiver aldersfordelingen i en hypotetisk befolkning. I denne rapport er raterne aldersstandardiserede i henhold til Segi's Verdens Standard Befolkning (12), som anvender følgende vægte:

Aldersgruppe (år) <i>Age group (years)</i>	Vægt (pct.) <i>Weight (pct.)</i>
0-4	12
5-9	10
10-14	9
15-19	9
20-24	8
25-29	8
30-34	6
35-39	6
40-44	6

Yderligere detaljer vedrørende proceduren, der bruges ved aldersstandardisering, præsenteres i *Cancer Incidence in Five Continents*, Vol. V (13).

## Population and age-standardised incidence rates

The cancer incidence is defined as the number of new tumours arising in a given period divided by the person-years at risk. Thus, for a particular year:

$$\text{incidence} = \frac{\text{new cases that year}}{\text{average population that year}}$$

Data regarding the number of new cases are tabulated in this publication. As the average population in a given year, the population on 1 July of that year, as made available by Statistics Denmark (11), has been used.

Age-specific incidence rates have been used to deduce the direct age-standardised incidence rates given in this report. In direct standardisation, the age-specific rates are weighted to provide a total estimate of the incidence. The weights used give the age distribution in a hypothetical population. In this report, the rates have been age-standardised according to the World Standard Population of Segi (12) for which the following weights apply:

Aldersgruppe (år) <i>Age group (years)</i>	Vægt (pct.) <i>Weight (pct.)</i>
45-49	6
50-54	5
55-59	4
60-64	4
65-69	3
70-74	2
75-79	1
80-84	½
85+	½

Further details about the procedure used for age-standardisation can be found in *Cancer Incidence in Five Continents*, Vol. V (13).

Aldersstandardiserede rater for 2000, som anføres i denne publikation, er sammenlignelige med de aldersstandardiserede rater, som bruges i Tabel 5 i publikationen, der dækker 5-års perioden 1973-77 og med de aldersstandardiserede rater, som angives for årene 1978-97 (3, 14-22). Disse rater er også anvendelige ved internationale studier. En monografi om geografisk variation i cancer incidensen i Nordeuropa blev offentliggjort i 2001 (31).

De her angivne aldersstandardiserede rater kan ikke sammenlignes med rater, som er standardiserede til den Europæiske standardbefolkning, som de foreligger i nogle af de tidligere rapporter fra det danske cancerregister.

The age-standardised rates for 2000, which are given in this publication, are comparable with the age-standardised rates given in Table 5 of the publication covering the five-year period 1973-77 and with the age-standardised rates given for the years 1978-97 (3, 14-22). These rates are also useful for international studies. A monograph on geographic variation of cancer incidence in Northern Europe was published in 2001 (31).

The age-standardised rates given here should not be compared with the rates standardised in accordance with the European Standard Population as presented in some of the previous reports from the Danish Cancer Registry.

**Figur 1** **Amter i Danmark og København og Frederiksberg Kommuner.**  
*Counties of Denmark and the municipalities of Copenhagen and Frederiksberg.*



1. Københavns Kommune
2. Frederiksberg Kommune
3. Københavns Amt
4. Frederiksborg Amt
5. Roskilde Amt
6. Vestsjællands Amt
7. Storstrøms Amt
8. Bornholms Amt
9. Fyns Amt
10. Sønderjyllands Amt
11. Ribe Amt
12. Vejle Amt
13. Ringkøbing Amt
14. Århus Amt
15. Viborg Amt
16. Nordjyllands Amt.

1. Municipality of Copenhagen
2. Municipality of Frederiksberg
3. Copenhagen County
4. Frederiksborg County
5. Roskilde County
6. County of Western Zealand
7. County of Storstrøm
8. County of Bornholm
9. Funen County
10. County of Southern Jutland
11. Ribe County
12. Vejle County
13. Ringkøbing County
14. Århus County
15. Viborg County
16. County of Northern Jutland

## Cancer incidens i Danmark 2000

### *Antal nye cancertilfælde*

I alt blev 32.092 nye cancertilfælde rapporteret i 2000 (tabel 3) sammenlignet med 31.348 i 1999 (22). Det skal noteres at siden offentliggørelsen af 1999 incidenstillene er yderligere 431 tilfælde (1,4 pct.) vedrørende dette år blevet anmeldt til Cancerregisteret for 1999, jf. Tabel 7 og "Forsigtighed ved fortolkning".

De aldersstandardiserede incidensraters indbyrdes fordeling er vist i figur 2. Fordelingen af de ti hyppigste incidente og prævalente tumorer er vist i henholdsvis figur 3 og figur 4. Antallet af nydiagnosticerede tilfælde kan ses i tabel 3 og deres fordeling på amter i Tabel 4. Non-melanom hudcancer ("anden hud") er stadig den hyppigste cancer blandt mænd, efterfulgt af lungecancer. Blandt kvinder er brystcancer den hyppigste, efterfulgt af hud og lungecancer. Det skal bemærkes, at incidensen for non-melanom hudcancer er et minimumsantal, da multiple non-melanom hudcancer tælles og registreres som én.

Cancertilfælde, der først identificeres på dødsattesten, bliver fulgt op med henvendelse til den attestudfyldende sygehusafdeling eller læge før registrering. Disse tilfælde udgør 2-3 pct. af den årlige incidens. De tilfælde, hvor det ikke er muligt at opnå yderligere information (ca. 1 pct.), bliver inkluderet i statistikken som kun baseret på dødsattest (DCO) med den diagnose, som er anført på dødsattesten og med dødsdatoen som incidensdato. Af Tabel 5 fremgår den generelt høje andelen (90 pct.) af tilfælde, som er dokumenteret ved histologisk/-cytologisk undersøgelse. Andelen varierer efter tumorlokalisation og er lavest for sekundære og uspecificerede lokalisationer, hvor andelen af DCO også er relativt høj.

## Cancer incidence in Denmark 2000

### *Number of new incident cancer cases*

A total of 32,092 new cancer cases were reported for 2000 (table 3) compared to 31,348 in 1999 (22). It should be noted, however, that since the publication of the 1999 incidence figures an additional 431 cases (1.4 pct.) were reported for that year to the Danish Cancer Registry, cf. Table 7 and "Caution regarding interpretation" below.

The proportional distribution of age-standardised incidence rates is shown in figure 2. The distribution of the ten most frequent incidences and prevalence of tumours is given in figure 3 and figure 4, respectively. The number of newly diagnosed cases can be seen in table 3, and distribution by county in Table 4. Non-melanoma skin cancer ("other skin") is still the most frequent cancer in males, with lung cancer coming in second. In women, breast cancer is still the most frequent followed by skin and lung cancer. It should also be noted that the non-melanoma skin cancer incidence is a minimum figure, since multiple lesions of non-melanoma skin cancer are counted and registered as a single instance.

Cancer cases first identified from death certificates are included after "follow-up" to the notifying hospital or physician. These cases constitute 2-3 per cent of the annual incidence. Cases for which no additional information could be obtained (around 1 per cent.) are included in the statistics as Death Certificate Only (DCO) cases, with the cancer diagnosis given on the death certificate and with the date of diagnosis being the same as the date of death. Table 5 shows that in general the proportion of cases based on histological/cytological verification is high (90 per cent). The proportion varies by site and is lowest for secondary and unspecified sites, of which the proportion of DCO is also relatively high.

Det danske Cancerregister koder morfologi for dysplasi. ICD-O morfologi og opførselskoder, der anvendes i Tabel 6, er anført i Tabel 11 i Appendix. Mens registreringen af carcinoma in situ og svær dysplasi formodes at være ret komplet, er moderat og let dysplasi inkomplet. Nogle tilfælde af carcinoma in situ og svær dysplasi på cervix uteri anmeldes efter CIN klassifikationen, og dette medfører, at nogle tilfælde kodes som carcinoma in situ i stedet for svær dysplasi. CIN III kategorien omfatter begge tilstande, og det alvorligste kodes.

### ***Tendenser i cancer incidensen***

De observerede tendenser i cancer incidensen fra 1946 til 2000 i fem års kalender perioder er vist i Tabel 2 for de hyppigste cancerformer, fordelt på mænd og kvinder. Det fremgår at registreringen af tilfælde fra en ny datakilde i 1987 (se ”Datakilder” ovenfor) påvirker tendensen i opadgående retning. I Tabel 10 i appendix gives en detaljeret beskrivelse af de cancere, som indgår for hver lokalisation.

En detaljeret rapport om tendenser i cancer incidensen i de nordiske lande er publiceret separat, (23), opfølgning herpå i rapport om cancer i de nordiske lande 1981-86 (24) og i den nordiske publikation om forudsigtelse af cancer incidens i fremtiden (25). Danske cancerpatienters overlevelse opgjort efter lokalisation, køn, tidspunkt og stadie er rapporteret (26, 32, 33), og cancer mortalitet i Danmark og de andre nordiske lande blev forudsagt frem til år 2010 (27). Nyere sammenligninger af canceroverlevelse i Danmark og de øvrige nordiske lande kan ses i (28, 29).

En national styregruppe for cancer blev etableret i Danmark i 1998. Under forberedelserne til en national handlingsplan offentliggjorde gruppen i begyndelsen af 2000 en rapport med sammenlignende epidemiologi for fem store typer af cancer i Danmark, Sverige, Norge og Finland (30).

The Danish Cancer Registry morphology code for dysplasia. The ICD-O morphology and behaviour codes selected for Table 6 are given in Table 11 in the appendix. While almost all carcinoma in situ and severe dysplasia cases may be registered, the notification of moderate and mild dysplasia is incomplete. Some cases of carcinoma in situ and severe dysplasia of the cervix uteri are reported according to the classification of cervical intraepithelial neoplasia (CIN), and this practice possibly leads to some cases being coded as carcinoma in situ instead of as severe dysplasia. This is because both are in the CIN III category, and the more serious condition is the one being coded.

### ***Trends in cancer incidence***

The observed trends in cancer incidence from 1946 to 2000 are shown in Table 2 for the sites with highest incidence, by five-year calendar periods and for males and females separately. Note that the inclusion of cases from the new data source in 1987 (see “Sources of information” above) influences the trend in an upward direction. The reader should consult Table 10 in the appendix for a detailed description of the cancers included for each site.

A detailed report on trends in the cancer incidence in the Nordic countries has been published separately (23) and followed up in the report on Cancer in the Nordic Countries 1981-86 (24) and in the Nordic publication predicting future cancer incidence (25). Survival of Danish cancer patients by site, sex, time and stage has been reported (26, 32, 33), and cancer mortality in Denmark and the other Nordic countries has been predicted up to the year 2010 (27). More recent comparisons of cancer survival in Denmark and the other Nordic countries can be found in (28, 29).

A national steering group on cancer was established in Denmark in 1998. During the preparation of a proposed national action plan the group presented a report in early 2000 comparing the epidemiology of five major types of cancer sites in Denmark, Sweden, Norway and Finland (30).

## ***Prævalens***

209.129 personer var i live ved udgangen af 2000 efter at have fået diagnosticeret cancer på et eller andet tidspunkt i livet (Tabel 8). Det skal bemærkes at cancer med god overlevelse og høj helbredelsesrate - som non-melanom hudcancer - bidrager kraftigt til dette tal, da antallet med "anden hud" er 59.574. Udelades personer med "anden hud" som eneste cancerdiagnose var prævalensen 149.814 (dette antal kan ikke umiddelbart udledes af Tabel 8 alene, da den samme person kan være repræsenteret med flere cancerdiagnoser).

Uheldigvis er termen "prævalens" fejlagtigt i tidligere rapporter blevet brugt om "antal tilfælde i live" og ikke "antal personer i live". Fra 1998 er opgørelsen blevet ændret og én person tælles nu kun én gang i hver linje i Tabel 8.

## ***Forsigtighed ved fortolkning***

Siden incidensen for 1987 er yderligere en datakilde blevet inddraget, nemlig Landspatientregisteret. Dette registers kvalitet med hensyn til cancerdiagnoser var tidligere ikke høj nok til forskningsformål, og data derfra blev kun brugt som hjælpemiddel ved indhentning af yderligere information fra de sygehusafdelinger, der indrapporterer til Landspatientregisteret (se "datakilder" side VII). På denne indirekte måde tilføjer Landspatientregisteret omkring 6 pct. af det totale antal tilfælde i cancerregisteret om året. Dette inkluderer tilfælde som sandsynligvis ville være blevet fundet i forbindelse med koblingen med Dødsårsagsregisteret i efterfølgende år (omkring 3 pct.). Konsekvenserne korreleret for alder og lokalisation blev tabuleret i incidenspublikationen for 1988 (3). Det blev afsløret, at underrapportering til det danske Cancerregister især vedrørte tilfælde hos yngre end 40 årige og cancer af typerne myelomatose, leukæmi samt hjerne- og blæretumorer. I Danmark er benigne hjerne- og urinvejstumorer anmeldelsespligtige. Formentlig er ikke alle læger klar over denne pligt.

## ***Prevalence***

209,129 persons alive by the end of 2000 had been diagnosed with cancer at some point in their life (Table 8). It should be noted that cancers with good survival and high cure-rates - such as non-melanoma skin cancer - contribute heavily to this figure, as the number for "other skin" is 59,574. Hence, leaving out the persons with "other skin" as only cancer diagnosis, the total prevalence was 149,814 (this number cannot be derived from Table 8 alone since one person can be represented by several cancer diagnoses).

Unfortunately, in the earlier reports in this series the term "prevalence" has erroneously been used for "number of cases alive" and not "number of persons alive". From 1998 the calculation has been changed. Now a person counts only once in each line of Table 8.

## ***Caution regarding interpretation***

Since the incidence year 1987, an additional data source has been used, namely the National Patient Registry. Earlier, this Registry's quality with regard to cancer diagnoses was not high enough for research purposes, hence the data were used only as means to require further information from the hospital departments reporting to the National Patient Registry (see "Sources of information" on page VII). In this indirect manner the National Patient Registry adds approx. 6 per cent of the total number of cases to the Danish Cancer Registry each year. This includes cases likely to have been otherwise found through linkages to the Danish Registry of Causes of Death in the years to come (approx. 3 per cent). The consequences, correlated by age and site, have been tabulated in the incidence publication for 1988 (3). It was revealed that under-reporting to the Danish Cancer Registry primarily concerned persons below the age of 40 years, and cancers such as multiple myeloma, leukaemia, brain and bladder tumours. In Denmark, benign brain and bladder tumours must be reported. Not all physicians may be fully aware of their obligation to do so.

I 1997-rapporten (22) var der et usædvanligt højt antal tilfælde diagnosticeret i de forudgående år (f.eks. 1996) men som ikke var indeholdt i 1996-rapporten. Tallet for 1996 blev forøget med 1.230 tilfælde. 1997-rapporten ansås for mere komplet med hensyn til afslutningsåret end de tidligere års-rapporter på grund af ændret procedure for håndtering af tilfælde, som kun findes ved kobling med Landspatientregisteret. Det blev forventet, at der i 1998-rapporten kun ville blive tilføjet et mindre antal tilfælde til 1997.

Rapporten for 1998 viste, at der også måtte være andre faktorer på spil. Der blev tilføjet 635 tilfælde yderligere til 1997 (2,1 pct.), meget færre end for det forudgående år, men kun lidt forskelligt fra andre tidligere år. I 1999 blev der således tilføjet 566 tilfælde til 1998 og 189 til 1997. I 2000 blev der tilføjet 431 tilfælde til 1999 og 170 til 1998.

Sundhedsstyrelsen finder, at den hyppigere og tidligere kobling med Landspatientregisteret har givet en positiv effekt på fuldstændigheden af 1997 og efterfølgende år. Man kan nu mistænke, at 1996-året blev lukket for tidligt, dvs. før alle relevante anmeldelsesblanketter var igennem kodningsprocedurerne. Da der stadig indkommer anmeldelsesblanketter vedrørende gamle cancerdiagnoser, og formodet incidensdato ikke registreres ved modtagelse, er det ikke muligt at vide præcis, hvornår den statistiske beregning skal foretages. Der sigtes efter at dette sker på et lignende tidspunkt i registreringen hvert år.

En note vedrørende sammenligning af prævalens i forskellige år er givet i det forudgående under "Prævalens".

De efterfølgende tabeller indeholder opgørelse af cancerincidens og -prævalens i 2000. Tabellerne er opdelt efter cancersygdomsgrupperet I ICD-7. Sarkomgruppen (140-205) er en morfologisk særøpgørelse. Sarkomer figurerer også fordelt på de enkelte organgrupper.

The 1997 report (22) included an unusually large number of cases diagnosed in previous years (i.e. 1996 and earlier), which were not in the 1996 report. The 1996 total was increased by 1,230 cases. The 1997 report was believed to be more complete as regards the final year than the previous reports were due to changes in the procedures for handling cases, which were found only by linkage to the National Patient Registry. It was expected that the 1998 publication would add only a small number of cases regarding 1997.

The 1998 publication showed that there must have been more to it than this. An additional 635 cases (2.1 per cent) in 1997 were added to the Registry, much less than in the previous year's report, but little different from the numbers in the previous reports. In 1999 another 566 cases were added to the 1998 figures and 189 to 1997. In 2000 another 431 cases were added to the 1999 figures and 170 to 1998.


The National Board of Health believe that more frequent and earlier linkage to the National Patient Registry would create a positive impact on the completion of 1997 and the following years, but one might suspect that the statistics for the 1996 report were calculated a little too early, i.e. before all relevant notifications had been through the coding procedure. As notifications of old cancer diagnoses keep coming in, and is not registered date of diagnosis at the time of reception, it is not possible to know precisely when to perform the statistical calculations. The aim is to perform the calculations at the same time each year.

A note regarding comparison of prevalence in different years is given in the previous section "Prevalence".


The following tables report cancer incidence and prevalence in the year 2000. The tables are grouped according to ICD-7.

The group of sarcoms (140-205) is a morphological specification. Sarcoms are represented in their relevant sites too.

**Figur 2A** Den procentvise fordeling af aldersstandardiserede incidensrater (verdensbefolkning) for neoplasmer i forskellige organer. Mænd 2000.  
*Proportional percentage distribution of age-standardised incidence rates (World Standard Population) for neoplasms in different organs. Males 2000.*




**Figur 2B** Den procentvise fordeling af aldersstandardiserede incidensrater (verdensbefolkning) for neoplasmer i forskellige organer. Kvinder 2000.  
*Proportional percentage distribution of age-standardised incidence rates (World Standard Population) for neoplasms in different organs. Females 2000.*




**Figur 3A** Cancer incidens i 2000. Mænd. 10 hyppigste lokalisationer.

*Incidence of cancer in 2000. Males. 10 frequent sites.*




**Figur 3B** Cancer incidens i 2000. Kvinder. 10 hyppigste lokalisationer.


*Incidence of cancer in 2000. Females. 10 frequent sites.*



**Figur 4A Prævalensen af cancer den 31. december 2000. Mænd. 10 hyppigste lokalisationer.**  
*Prevalence of cancer at 31 December 2000. Males. 10 frequent sites.*



**Figur 4B Prævalensen af cancer den 31. december 2000. Kvinder. 10 hyppigste lokalisationer.**  
*Prevalence of cancer at 31 December 2000. Females. 10 frequent sites.*



**Tabel 2 Tendenser i de standardiserede incidensrater per 100.000 personår (verdensbefolkning) i Danmark 1946-2000. Totale rater og 10 hyppige lokalisationer for hvert køn. Femårs gennemsnit.**

*Table 2 Trends in standardised incidence rates per 100,000 person-years (World Standard Population of Segi, ref. 12) in Denmark 1946-2000. Total rates and 10 frequent sites for each sex separately. Five-year averages.*

<b>Mænd</b> <i>Males</i>	<b>All malignant neoplasms</b>	<b>Colon incl. recto-sigmoid</b>	<b>Rectum, excl. anus</b>	<b>Lung primary, trachea</b>	<b>Prostate</b>	<b>Kidney</b>
<b>År</b> <i>Years</i>	<b>(140-205)</b>	<b>(153)</b>	<b>(154)</b>	<b>(162)</b>	<b>(177)</b>	<b>(180)</b>
1946 -1950	193.5	14.5	19.2	14.5	13.7	4.7
1951 -1955	204.3	14.0	17.4	19.9	16.6	4.9
1956 -1960	221.0	14.0	17.5	28.0	18.9	6.1
1961 -1965	238.2	16.2	17.4	36.4	21.6	7.0
1966 -1970	264.3	17.3	16.8	45.6	23.0	9.1
1971 -1975	277.2	18.5	17.0	52.4	24.1	9.9
1976 -1980	305.9	20.9	16.5	56.0	28.7	9.6
1981 -1985	319.2	21.6	16.1	59.0	29.5	10.3
1986 -1990	334.0	22.3	15.4	55.2	31.7	10.2
1991 -1995	343.3	22.8	15.4	50.8	30.5	10.0
1996 -2000	352.6	24.1	14.5	47.6	36.1	10.1

<b>Mænd</b> <i>Males</i>	<b>Urinary bladder incl. papilloma</b>	<b>Melanoma of skin</b>	<b>Non-melanoma skin</b>	<b>Brain and nervous system</b>	<b>Leukaemia</b>	<b>All sarcomas, incl. bone &amp; conn. tissue</b>
<b>År</b> <i>Years</i>	<b>(181)</b>	<b>(190)</b>	<b>(191)</b>	<b>(193)</b>	<b>(204)</b>	<b>(140-205)</b>
1946 -1950	7.5	1.4	19.1	...	6.8	4.9
1951 -1955	9.6	1.5	21.5	...	7.6	4.4
1956 -1960	12.1	2.2	21.7	...	8.8	4.3
1961 -1965	15.2	2.6	21.4	...	9.1	4.4
1966 -1970	19.4	3.5	28.2	...	9.8	3.9
1971 -1975	22.3	4.2	26.6	9.0	9.6	4.1
1976 -1980	25.2	5.9	36.5	9.6	10.0	4.3
1981 -1985	26.4	6.7	41.7	10.0	10.6	4.1
1986 -1990	28.3	8.6	49.4	12.6	10.9	5.1
1991 -1995	28.4	10.1	59.1	13.0	10.5	5.5
1996 -2000	27.6	11.2	63.5	13.9	10.6	4.9

**Tabel 2 Tendenser i de standardiserede incidensrater per 100.000 personår (verdensbefolkning) i Danmark 1946-2000. Totale rater og 10 hyppige lokalisationer for hvert køn. Femårs gennemsnit.**

*Table 2 Trends in standardised incidence rates per 100,000 person-years (World Standard Population of Segi, ref. 12) in Denmark 1946-2000. Total rates and 10 frequent sites for each sex separately. Five-year averages.*

<b>Kvinder Females</b>	<b>All malignant neoplasms</b>	<b>Colon incl. recto-sigmoid</b>	<b>Rectum, excl. anus</b>	<b>Lung primary, trachea</b>	<b>Breast</b>	<b>Cervix uteri</b>
<b>År Year</b>	<b>(140-205)</b>	<b>(153)</b>	<b>(154)</b>	<b>(162)</b>	<b>(170)</b>	<b>(171)</b>
<b>1946 -1950</b>	<b>210.8</b>	15.1	12.0	3.2	41.7	24.9
<b>1951 -1955</b>	<b>221.4</b>	15.0	11.0	4.0	45.6	26.4
<b>1956 -1960</b>	<b>226.4</b>	16.5	11.4	4.6	44.8	28.4
<b>1961 -1965</b>	<b>235.5</b>	14.2	10.7	6.1	48.2	31.0
<b>1966 -1970</b>	<b>248.0</b>	19.3	10.7	9.1	53.2	31.7
<b>1971 -1975</b>	<b>246.5</b>	18.2	10.3	11.3	57.6	24.2
<b>1976 -1980</b>	<b>271.6</b>	20.9	10.1	15.4	63.7	19.7
<b>1981 -1985</b>	<b>286.4</b>	20.5	9.9	20.8	67.5	17.1
<b>1986 -1990</b>	<b>308.4</b>	21.0	9.4	25.2	73.4	15.6
<b>1991 -1995</b>	<b>330.1</b>	20.6	8.7	28.4	80.4	13.5
<b>1996 -2000</b>	<b>344.0</b>	21.2	8.7	31.2	85.9	11.6

<b>Kvinder Females</b>	<b>Corpus uteri</b>	<b>Ovary fallopian tube and broad lig.</b>	<b>Melanoma of skin</b>	<b>Non-melanoma skin</b>	<b>Brain and nervous system</b>	<b>All sarcomas, incl. bone &amp; conn. tissue</b>
<b>År Year</b>	<b>(172)</b>	<b>(175)</b>	<b>(190)</b>	<b>(191)</b>	<b>(193)</b>	<b>(140-205)</b>
<b>1946 -1950</b>	...	11.6	1.6	11.7	...	5.0
<b>1951 -1955</b>	...	12.9	2.1	13.5	...	4.7
<b>1956 -1960</b>	...	13.1	2.6	12.8	...	4.5
<b>1961 -1965</b>	...	14.6	4.5	13.5	...	4.8
<b>1966 -1970</b>	...	15.7	5.6	17.3	...	3.8
<b>1971 -1975</b>	12.6	15.4	6.0	16.7	8.0	4.3
<b>1976 -1980</b>	14.8	15.2	8.1	25.1	9.0	4.0
<b>1981 -1985</b>	15.6	14.9	9.3	31.0	9.4	3.6
<b>1986 -1990</b>	15.0	14.3	11.2	39.2	11.9	4.4
<b>1991 -1995</b>	14.1	14.3	13.4	50.1	12.4	4.2
<b>1996 -2000</b>	12.5	13.8	13.7	56.4	13.9	4.6

## Referencer / References

1. Sundhedsstyrelsens bekendtgørelse nr. 50 af 15. januar 1987. Bekendtgørelse om lægers anmeldelse til Cancerregisteret af kræftsygdomme m.v. Sundhedsstyrelsen, København, 1987.
2. Sundhedsstyrelsens bekendtgørelse nr. 414 af 2. juni 1999. Bekendtgørelse om lægers anmeldelse til Cancerregisteret af kræftsygdomme m.v. Sundhedsstyrelsen, København, 1999.
3. Storm HH, Manders T, Friis S, Bang S. Cancer Incidence in Denmark 1988, Danish Cancer Society, Copenhagen, 1991.
4. International Statistical Classification of Diseases and Related Health Problems. Tenth revision. Volume 1, World Health Organization, 1992.
5. World Health Organization: International Classification of Diseases for Oncology (ICD-O). First Edition. World Health Organization, Geneva, 1976.
6. Danish Cancer Registry: Incidence of Cancer in Denmark, 1973-77. Kræftens Bekæmpelse/ Danish Cancer Society, Copenhagen 1982.
7. Storm HH, Jensen OM, Ewerts M, Lynge E, Olsen JH, Schou G, Osterlind A. Summary: Multiple primary cancers in Denmark 1943-80. Nat. Cancer Inst. Monogr. 1985; 68: 411-430.
8. Storm HH, Lynge E, Osterlind A, Jensen OM: Multiple primary cancers in Denmark 1943-80, influence of possible underreporting and suggested risk factors. The Yale Journal of Biology and Medicine 1986; 59: 547-559
9. IACR/IARC. Multiple primaries. Lyon, IARC, 1994 (internal report).
10. Carstensen B, Jensen OM. Atlas of Cancer Incidence in Denmark, 1970-79. Kræftens Bekæmpelse/Danish Cancer Society, Copenhagen, 1986.
11. Danmarks Statistik. Befolkningen i de enkelte kommuner 1. januar. Danmarks Statistik, Copenhagen, Annual publication.
12. Segi, M. Cancer mortality for selected sites in 24 countries (1950-1957). Department of Public Health, Tokohu University School of Medicine, Sendai, Japan, 1960.
13. Muir C, Waterhouse J, Mack T, Powell J, Whelan S, eds., Cancer Incidence in Five Continents. Vol. V. IARC Scientific Publications No. 88. International Agency for Research on Cancer, Lyon, 1987.
14. Danish Cancer Registry. Cancer Incidence in Denmark 1978, 1979 and 1980; 1981 and 1982; 1983; 1984; 1985. Kræftens Bekæmpelse/Danish Cancer Society, Copenhagen, 1983; 1985; 1987; 1987; 1988.
15. Storm HH, Sprøgel P, Bang S, Jensen OM. Cancer Incidence in Denmark 1986. Danish Cancer Society, Copenhagen, 1989.

16. Storm HH, Manders T, Sprøgel P, Bang S, Jensen OM. Cancer Incidence in Denmark 1987, Danish Cancer Society, Copenhagen, 1990.
17. Storm HH, Manders T, Friis S, Bang S. Cancer Incidence in Denmark 1989, Danish Cancer Society, Copenhagen, 1992.
18. Storm HH, Manders T, Friis S, Brandt B. Cancer Incidence in Denmark 1990, Danish Cancer Society, Copenhagen, 1994.
19. Storm HH, Manders T, Lecker S. Cancer Incidence in Denmark 1991, Danish Cancer Society, Copenhagen, 1995.
20. Storm HH, Pihl J, Michelsen E. Cancer Incidence in Denmark 1992, Danish Cancer Society, Copenhagen, 1995.
21. Storm HH, Pihl J, Michelsen E, Nielsen AL. Cancer Incidence in Denmark 1993, Danish Cancer Society, Copenhagen, 1996.
22. Sundhedsstyrelsen. Cancer Incidence in Denmark 1994; 1995; 1996; 1997. National Board of Health. Copenhagen 1997; 1998; 1999; 2001.
23. Hakulinen T, Andersen AA, Malker B, Pukkala E, Schou G, Tulinius H. Trends in cancer incidence in the Nordic countries. *Acta Pathol Microbiol Immunol Scand*, 1986, Section A 94: Suppl 288.
24. Tulinius H, Storm HH, Pukkala E, Andersen A, Ericsson J. Cancer in the Nordic Countries 1981-86, *APMIS* 1992, Vol. 100: suppl. 31.
25. Møller B, Fekjær H, Hakulinen T, Tryggvadóttir L, Storm HH, Talbäck M, Haldorsen T. (2002). Prediction of cancer incidence in the Nordic countries up to the year 2020. *European Journal of Cancer Prevention*, vol 11 (suppl 1) : 1-96.
26. Carstensen B, Storm HH, Schou G. Survival of Danish cancer patients 1943-87, *APMIS* 1993, vol. 101, suppl. 33.
27. Engeland A, Haldorsen T, Tretli S, Hakulinen T, Hörte LG, Luostarinen T, Schou G, Sigvaldason H, Storm HH, Tulinius H, Vaittinen P. Prediction of cancer mortality in the Nordic countries up to the years 2000 and 2010, *APMIS* 1995, Vol. 103: suppl. 49.
28. Engeland A, Haldorsen T, Dickman PW, Hakulinen T, Möller TR, Storm HH, Tulinius H. Relative survival of cancer patients. *Acta Oncologica* 1998; 37(1): 49-59.
29. Storm HH, Dickman PW, Engeland A, Haldorsen T, Hakulinen T. Do morphology and stage explain the inferior lung cancer survival in Denmark? *Eur Respir J* 1999; 13: 430-435.
30. Sundhedsstyrelsen. National Kræftplan. Status og forslag til initiativer i relation til kræftbehandlingen. Delrapport 2, Epidemiologi. Copenhagen, 2000.

31. Pukkala E, Söderman B, Okeanov A, Storm H, Rahu M, Hakulinen T, Becker N, Stabenow R, Bjarnadottir K, Stengrevics A, Gurevicius R, Glattre E, Zatonski W, Men T, Barlow L. Cancer Atlas of Northern Europe. Cancer Society of Finland, publication no. 62. Helsinki, 2001.
32. Storm HH, Engholm G. Relativ overlevelse for danske kræftpatienter 19981 til 1997 og fulgt til år 2001 – en status. Ugeskrift for Læger 2002;164: 2855-2864
33. Storm HH, Engholm G. Overlevelse for danaske kræftpatienter diagnosticeret 1981 til 1997 og fulgt til år 2001 – tabeller.  
[http://www.cancer.dk/alt+om+kraeft/fakta+om+kraeft/overlevelse\\_tabeller.asp](http://www.cancer.dk/alt+om+kraeft/fakta+om+kraeft/overlevelse_tabeller.asp)

**Relevante websider / *Relevant websites:***

[Sundhedsdata.sst.dk](http://Sundhedsdata.sst.dk) – Sundhedsstyrelsen / National Board of Helath

[www.sst.dk](http://www.sst.dk) – Sundhedsstyrelsen / National Board of Health

[www.cancer.dk](http://www.cancer.dk) – Kræftens Bekæmpelse / Danish Cancer Society

[ncu.cancer.dk/ancr](http://ncu.cancer.dk/ancr) – Nordisk cancersamarbejde

[www-dep.iarc.fr](http://www-dep.iarc.fr) - International Agency for Research on Cancer

[www.enrcr.com.fr](http://www.enrcr.com.fr) - European Network of Cancer Registries

[www.iacr.com.fr](http://www.iacr.com.fr) – International Association of Cancer Registries



## **Tabeller / Tables**

### **Cancer incidens i Danmark 2000**

**Tabel 3** Antallet af nydiagnostiserede cancertilfælde i 2000 fordelt efter primær lokalisation, alder og køn, og aldersstandardiserede incidensrater (verdensbefolkning), pr. 100.000 indbyggere.

ICD 7th. Revision	Site	Sex	Total	Aldersgruppe <i>Age group</i>							
				0-4	05-09	10-14	15-19	20-24	25-29	30-34	35-39
140-205	All malignant neoplasms	M	15 239	46	22	23	42	75	133	161	211
		F	16 853	23	32	21	31	60	145	226	394
140-205	All sarcomas, incl. bone & conn. tissue	M	156	4	4	5	3	5	4	9	8
		F	179	2	3	1	-	8	7	5	13
140-148	Buccal cavity and pharynx	M	461	-	-	-	2	-	-	4	7
		F	250	-	-	-	2	2	1	3	6
140	Lip	M	53	-	-	-	-	-	-	-	1
		F	33	-	-	-	-	-	-	-	-
141	Tongue	M	75	-	-	-	-	-	-	-	1
		F	40	-	-	-	-	-	-	-	-
142	Salivary glands	M	32	-	-	-	-	-	-	1	1
		F	30	-	-	-	2	1	-	2	1
143-144	Mouth	M	128	-	-	-	-	-	-	2	3
		F	78	-	-	-	-	-	1	-	1
145-148	Pharynx	M	173	-	-	-	2	-	-	1	1
		F	69	-	-	-	-	1	-	1	4
150-159	Digestive organs and peritoneum	M	3 126	2	-	1	1	4	5	16	12
		F	2 732	-	-	3	-	2	3	9	18
150	Esophagus	M	248	-	-	-	-	-	-	1	-
		F	99	-	-	-	-	-	-	-	1
151	Stomach	M	302	-	-	-	-	-	2	-	2
		F	149	-	-	-	-	-	3	1	2
152	Small intestine	M	26	-	-	-	-	-	-	-	-
		F	30	-	-	-	-	-	-	2	-
153	Colon incl. rectosigmoid	M	1 101	-	-	-	-	1	2	7	3
		F	1 222	-	-	2	-	2	-	2	7
154	Rectum, excl. anus	M	672	-	-	-	-	2	-	3	-
		F	455	-	-	-	-	-	-	3	3
155.0	Liver	M	162	2	-	1	-	-	-	2	-
		F	83	-	-	1	-	-	-	-	2
155.1	Gallbladder, bil. pass., amp. Vater	M	62	-	-	-	-	-	-	1	-
		F	86	-	-	-	-	-	-	-	-
156	Liver, not spec. as primary	M	168	-	-	-	-	-	-	-	4
		F	202	-	-	-	-	-	-	1	-
157	Pancreas	M	352	-	-	-	-	-	1	1	3
		F	372	-	-	-	-	-	-	-	3
158-159	Peritoneum and other dig. organs	M	33	-	-	-	1	1	-	1	-
		F	34	-	-	-	-	-	-	-	-
160-164	Respiratory system	M	2 425	-	-	-	1	1	1	5	7
		F	1 639	-	-	-	1	1	3	5	8
160	Nasal cavities and sinuses	M	43	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	1
161	Larynx	M	186	-	-	-	-	-	-	1	-
		F	39	-	-	-	-	-	1	3	1
162	Lung primary, trachea	M	2 117	-	-	-	-	-	1	4	5
		F	1 558	-	-	-	1	1	2	1	6

Number of newly diagnosed cases of cancer in 2000 by primary site, age and sex, and agestandardized incidence rates (World) per 100,000 habitants.

Table 3

Aldersgruppe Age group										Standardiseret rate pr. 100.000	ICD 7th. Revision
40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
340	546	1 027	1 407	1 712	2 131	2 387	2 325	1 627	1 024	354.8	140-205
624	923	1 527	1 748	1 788	1 915	2 021	2 182	1 676	1 517	351.0	
8	11	15	8	10	20	12	15	4	11	4.66	140-205
13	23	17	12	12	11	14	17	10	11	4.74	
27	41	76	82	70	57	32	33	13	17	11.88	140-148
13	14	20	23	23	37	31	40	17	18	5.36	
3	2	4	5	4	14	6	6	2	6	1.29	140
1	2	-	4	4	5	5	7	1	4	0.64	
4	7	16	17	8	13	2	5	2	-	1.94	141
2	1	2	4	3	6	5	10	4	3	0.73	
3	1	1	2	1	6	5	6	2	3	0.74	142
-	-	2	1	2	3	4	8	2	2	0.67	
6	8	20	27	22	13	8	8	5	6	3.23	143-144
4	3	6	6	8	11	12	12	6	8	1.57	
11	23	35	31	35	11	11	8	2	2	4.69	145-148
6	8	10	8	6	12	5	3	4	1	1.75	
43	108	208	294	357	473	506	497	375	224	70.17	150-159
23	57	141	181	269	325	424	496	401	380	46.69	
3	12	24	30	32	44	32	38	19	13	5.80	150
-	1	7	12	11	13	14	17	8	15	1.79	
5	16	22	36	34	49	46	36	36	18	6.98	151
-	1	9	9	16	18	22	33	17	18	2.63	
-	-	1	4	6	7	3	2	1	2	0.65	152
1	1	-	-	4	2	3	8	5	4	0.50	
20	28	64	83	102	174	182	185	164	86	23.96	153
13	27	54	71	115	145	184	226	193	181	20.45	
8	20	41	68	97	102	113	94	75	49	15.32	154
3	13	30	33	48	60	65	84	54	59	8.11	
-	8	11	15	27	20	34	27	8	7	3.93	155.0
1	4	8	6	12	5	14	9	12	9	1.62	
2	2	4	3	5	4	11	13	6	11	1.30	155.1
1	-	3	6	11	9	12	17	16	11	1.40	
-	5	9	12	14	18	31	35	23	17	3.52	156
2	3	5	7	15	20	42	38	38	31	3.12	
4	15	29	42	38	48	51	63	40	17	7.88	157
2	7	21	36	33	53	62	59	53	43	6.57	
1	2	3	1	2	7	3	4	3	4	0.83	158-159
-	-	4	1	4	-	6	5	5	9	0.51	
27	58	153	276	308	419	488	402	190	89	55.81	160-164
20	60	117	179	200	302	258	269	146	70	33.35	
1	1	7	4	5	10	8	1	4	2	1.05	160
1	2	-	-	4	2	6	3	1	-	0.45	
4	8	15	33	24	31	30	22	10	8	4.45	161
-	1	2	4	4	9	3	8	1	2	0.85	
20	48	124	230	273	368	437	362	169	76	48.51	162
18	55	115	171	190	289	245	255	143	66	31.58	

**Tabel 3** Antallet af nydiagnostiserede cancertilfælde i 2000 fordelt efter primær lokalisation, alder og køn, og aldersstandardiserede incidensrater (verdensbefolkning), pr. 100.000 indbyggere.

ICD 7th. Revision	Site	Sex	Total	Aldersgruppe Age group								
				0-4	05-09	10-14	15-19	20-24	25-29	30-34	35-39	
				162.2	Pleura	M	63	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-
163	Lung, not specified as primary	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
164	Mediastinum	M	16	-	-	-	1	1	-	-	-	1
		F	9	-	-	-	-	-	-	-	1	-
170	Breast	M	15	-	-	-	-	-	-	-	-	-
		F	3 890	-	-	-	-	-	14	40	-	87
<b>171-176</b>	<b>Female genital organs</b>	<b>M</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
		<b>F</b>	<b>1 760</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>4</b>	<b>10</b>	<b>38</b>	<b>41</b>	<b>-</b>	<b>80</b>
171	Cervix uteri	M	-	-	-	-	-	-	-	-	-	-
		F	391	-	-	-	-	7	30	35	-	60
172	Corpus uteri	M	-	-	-	-	-	-	-	-	-	-
		F	604	-	-	-	-	-	-	-	1	5
173-174	Uterus, other and unspecified parts	M	-	-	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	1	1	-	1
175	Ovary, fallopian tube and broad ligament	M	-	-	-	-	-	-	-	-	-	-
		F	623	-	-	-	4	3	6	4	-	9
176	Other and unsp. female genital organs	M	-	-	-	-	-	-	-	-	-	-
		F	109	-	-	-	-	-	1	-	-	5
<b>177-179</b>	<b>Male genital organs</b>	<b>M</b>	<b>2 256</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>12</b>	<b>25</b>	<b>57</b>	<b>46</b>	<b>-</b>	<b>46</b>
		<b>F</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
177	Prostate	M	1 933	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
178	Testis	M	278	1	-	-	12	25	57	45	-	46
		F	-	-	-	-	-	-	-	-	-	-
179	Other and unsp. male genital organs	M	45	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
<b>180-181</b>	<b>Urinary system</b>	<b>M</b>	<b>1 619</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>-</b>	<b>10</b>
		<b>F</b>	<b>699</b>	<b>2</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>2</b>
180	Kidney	M	420	4	-	-	-	-	2	1	-	2
		F	290	2	1	-	-	1	1	1	-	1
181	Urinary bladder incl. papilloma	M	1 199	-	-	-	-	2	-	4	-	8
		F	409	-	-	-	-	-	-	-	-	1
<b>190-191</b>	<b>Skin</b>	<b>M</b>	<b>3 251</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>9</b>	<b>34</b>	<b>48</b>	<b>-</b>	<b>60</b>
		<b>F</b>	<b>3 699</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>6</b>	<b>16</b>	<b>54</b>	<b>78</b>	<b>-</b>	<b>128</b>
190	Melanoma of skin	M	503	-	-	-	1	3	16	17	-	15
		F	605	-	-	1	6	11	38	42	-	44
191	Other skin	M	2 748	1	-	-	-	6	18	31	-	45
		F	3 094	-	-	-	-	5	16	36	-	84
<b>192-197</b>	<b>Other specified sites</b>	<b>M</b>	<b>648</b>	<b>16</b>	<b>12</b>	<b>9</b>	<b>12</b>	<b>19</b>	<b>18</b>	<b>16</b>	<b>-</b>	<b>39</b>
		<b>F</b>	<b>796</b>	<b>7</b>	<b>21</b>	<b>12</b>	<b>12</b>	<b>19</b>	<b>17</b>	<b>31</b>	<b>-</b>	<b>40</b>
192	Eye and lachrymal glands	M	35	3	2	-	-	-	-	-	-	2
		F	33	2	1	-	-	-	-	1	-	-
193	Brain and nervous system	M	484	10	7	7	10	15	14	10	-	28
		F	552	4	17	7	11	9	10	19	-	23

Number of newly diagnosed cases of cancer in 2000 by primary site, age and sex, and agestandardized incidence rates (World) per 100,000 habitants.

Table 3

Aldersgruppe Age group										Standardiseret rate pr. 100.000	ICD 7th. Revision
40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
2	-	4	9	6	8	9	14	7	3	1.36	162.2
1	1	-	3	1	-	3	2	-	2	0.26	
-	-	-	-	-	-	-	-	-	-	0.00	163
-	-	-	-	-	-	-	-	-	-	0.00	
-	1	3	-	-	2	4	3	-	-	0.44	164
-	1	-	1	1	2	1	1	1	-	0.20	
-	1	1	1	1	1	4	3	3	-	0.31	170
212	348	541	527	480	385	364	373	260	259	87.53	
-	-	-	-	-	-	-	-	-	-	<b>0.00</b>	<b>171-176</b>
<b>78</b>	<b>105</b>	<b>169</b>	<b>217</b>	<b>173</b>	<b>202</b>	<b>205</b>	<b>208</b>	<b>140</b>	<b>90</b>	<b>39.37</b>	
-	-	-	-	-	-	-	-	-	-	0.00	171
44	39	39	30	16	19	18	23	16	15	10.64	
-	-	-	-	-	-	-	-	-	-	0.00	172
10	13	56	87	74	91	81	94	62	30	12.09	
-	-	-	-	-	-	-	-	-	-	0.00	173-174
-	3	5	7	1	2	6	3	2	1	0.74	
-	-	-	-	-	-	-	-	-	-	0.00	175
18	44	63	84	72	81	89	77	39	30	13.86	
-	-	-	-	-	-	-	-	-	-	0.00	176
6	6	6	9	10	9	11	11	21	14	2.05	
<b>36</b>	<b>36</b>	<b>52</b>	<b>108</b>	<b>213</b>	<b>299</b>	<b>379</b>	<b>403</b>	<b>338</b>	<b>205</b>	<b>50.49</b>	<b>177-179</b>
-	-	-	-	-	-	-	-	-	-	<b>0.00</b>	
-	10	32	95	197	294	374	397	334	200	39.72	177
-	-	-	-	-	-	-	-	-	-	0.00	
36	21	13	9	7	2	1	3	-	-	9.67	178
-	-	-	-	-	-	-	-	-	-	0.00	
-	5	7	4	9	3	4	3	4	5	1.09	179
-	-	-	-	-	-	-	-	-	-	0.00	
<b>30</b>	<b>48</b>	<b>91</b>	<b>125</b>	<b>198</b>	<b>249</b>	<b>297</b>	<b>262</b>	<b>182</b>	<b>114</b>	<b>36.61</b>	<b>180-181</b>
<b>12</b>	<b>17</b>	<b>44</b>	<b>55</b>	<b>64</b>	<b>104</b>	<b>125</b>	<b>102</b>	<b>105</b>	<b>63</b>	<b>12.93</b>	
12	23	46	44	52	60	61	55	33	25	10.09	180
7	8	21	19	22	43	65	43	41	14	5.65	
18	25	45	81	146	189	236	207	149	89	26.52	181
5	9	23	36	42	61	60	59	64	49	7.28	
<b>104</b>	<b>143</b>	<b>279</b>	<b>320</b>	<b>360</b>	<b>392</b>	<b>407</b>	<b>466</b>	<b>368</b>	<b>259</b>	<b>74.80</b>	<b>190-191</b>
<b>186</b>	<b>221</b>	<b>318</b>	<b>389</b>	<b>371</b>	<b>348</b>	<b>348</b>	<b>416</b>	<b>393</b>	<b>426</b>	<b>76.92</b>	
30	41	78	62	51	57	42	39	29	22	12.91	190
59	49	76	52	45	45	46	37	29	25	16.01	
74	102	201	258	309	335	365	427	339	237	61.88	191
127	172	242	337	326	303	302	379	364	401	60.92	
<b>35</b>	<b>52</b>	<b>65</b>	<b>63</b>	<b>59</b>	<b>70</b>	<b>58</b>	<b>57</b>	<b>30</b>	<b>18</b>	<b>18.82</b>	<b>192-197</b>
<b>47</b>	<b>62</b>	<b>94</b>	<b>82</b>	<b>73</b>	<b>53</b>	<b>77</b>	<b>56</b>	<b>58</b>	<b>35</b>	<b>21.17</b>	
-	3	3	2	5	3	6	4	1	1	1.06	192
1	4	6	1	3	4	5	3	1	1	0.91	
30	32	48	54	46	51	43	44	25	10	13.92	193
27	37	66	70	52	40	54	40	43	23	14.47	

**Tabel 3** Antallet af nydiagnostiserede cancertilfælde i 2000 fordelt efter primær lokalisation, alder og køn, og aldersstandardiserede incidensrater (verdensbefolkning), pr. 100.000 indbyggere.

ICD 7th. Revision	Site	Sex	Total	Aldersgruppe Age group							
				0-4	05-09	10-14	15-19	20-24	25-29	30-34	35-39
194	Thyroid	M	52	-	-	1	-	2	3	4	3
		F	119	-	-	4	1	4	1	7	11
195	Endocrine glands	M	9	2	-	-	-	-	-	-	-
		F	11	1	-	-	-	-	1	-	-
196	Bone	M	16	-	3	1	1	2	-	-	2
		F	16	-	3	1	-	-	1	3	2
197	Connective tissue	M	52	1	-	-	1	-	1	2	4
		F	65	-	-	-	-	6	4	1	4
<b>198-199</b>	<b>Secondary and unspecified sites</b>	<b>M</b>	<b>399</b>	-	-	<b>1</b>	<b>1</b>	-	-	<b>1</b>	<b>2</b>
		<b>F</b>	<b>481</b>	<b>3</b>	-	-	-	-	<b>2</b>	<b>2</b>	<b>4</b>
198	Metastases	M	208	-	-	-	-	-	-	1	1
		F	212	-	-	-	-	-	1	1	3
199	Other and unspecified sites	M	191	-	-	1	1	-	-	-	1
		F	269	3	-	-	-	-	1	1	1
<b>200-205</b>	<b>Lymphatic and hematopoietic tiss.</b>	<b>M</b>	<b>1 039</b>	<b>22</b>	<b>10</b>	<b>12</b>	<b>12</b>	<b>15</b>	<b>16</b>	<b>20</b>	<b>28</b>
		<b>F</b>	<b>907</b>	<b>11</b>	<b>10</b>	<b>5</b>	<b>6</b>	<b>9</b>	<b>12</b>	<b>16</b>	<b>21</b>
200,202	Non-Hodgkin lymphoma	M	376	2	-	1	4	5	3	8	12
		F	374	1	1	1	1	-	3	6	11
201	Hodgkin's disease	M	58	1	-	3	4	6	7	9	7
		F	55	-	-	-	4	5	5	5	5
203	Multiple myeloma	M	181	-	-	-	-	-	-	-	1
		F	163	-	-	-	-	-	-	-	-
204	Leukemia	M	414	19	10	8	4	4	6	3	7
		F	307	10	9	4	1	4	4	5	5
205	Mycosis fungoides	M	10	-	-	-	-	-	-	-	1
		F	8	-	-	-	-	-	-	-	-

Number of newly diagnosed cases of cancer in 2000 by primary site, age and sex, and agestandardized incidence rates (World) per 100,000 habitants.

Table 3

Aldersgruppe Age group										Standardiseret rate pr. 100.000	ICD 7th. Revision
40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
2	9	7	2	3	6	5	2	2	1	1.50	194
11	14	13	7	12	2	9	9	9	5	3.17	
1	1	1	1	1	1	1	-	-	-	0.33	195
2	-	3	-	1	2	1	-	-	-	0.36	
-	4	-	1	-	-	1	-	-	1	0.64	196
-	-	1	1	1	2	-	1	-	-	0.57	
2	3	6	3	4	9	2	7	2	5	1.37	197
6	7	5	3	4	3	8	3	5	6	1.69	
<b>8</b>	<b>13</b>	<b>25</b>	<b>37</b>	<b>42</b>	<b>52</b>	<b>64</b>	<b>70</b>	<b>45</b>	<b>38</b>	<b>8.85</b>	<b>198-199</b>
<b>5</b>	<b>10</b>	<b>26</b>	<b>27</b>	<b>39</b>	<b>57</b>	<b>69</b>	<b>87</b>	<b>65</b>	<b>85</b>	<b>8.16</b>	
6	10	15	23	23	25	31	42	20	11	4.66	198
2	5	11	11	22	29	32	41	24	30	3.74	
2	3	10	14	19	27	33	28	25	27	4.19	199
3	5	15	16	17	28	37	46	41	55	4.42	
<b>30</b>	<b>46</b>	<b>77</b>	<b>101</b>	<b>104</b>	<b>119</b>	<b>152</b>	<b>132</b>	<b>83</b>	<b>60</b>	<b>27.06</b>	<b>200-205</b>
<b>28</b>	<b>29</b>	<b>57</b>	<b>68</b>	<b>96</b>	<b>102</b>	<b>120</b>	<b>135</b>	<b>91</b>	<b>91</b>	<b>19.50</b>	
16	22	28	54	43	34	45	48	28	23	9.32	200,202
12	14	29	36	41	52	54	45	35	32	7.85	
4	2	2	3	3	2	1	4	-	-	2.07	201
5	4	2	1	8	-	4	4	1	2	1.76	
3	7	16	15	30	26	26	29	18	10	4.18	203
4	3	11	13	17	26	26	33	20	10	3.03	
7	15	30	28	28	55	78	48	37	27	11.27	204
6	8	13	18	29	23	35	53	35	45	6.68	
-	-	1	1	-	2	2	3	-	-	0.22	205
1	-	2	-	1	1	1	-	-	2	0.17	

**Tabel 4** Antallet af nydiagnostiserede cancertilfælde i København og Frederiksberg kommune, og i de danske amter i 2000, fordelt efter region, lokalisation og køn.

ICD 7. revision	Site	Sex	Total	Kommune <i>Municipality</i>				Amt <i>County</i>
				København	Frederiksberg	København	Frederiksborg	Roskilde
<b>140-205</b>	<b>All malignant neoplasms</b>	<b>M</b>	<b>15 239</b>	<b>1 313</b>	<b>277</b>	<b>1 992</b>	<b>1 150</b>	<b>621</b>
		<b>F</b>	<b>16 853</b>	<b>1 610</b>	<b>414</b>	<b>2 333</b>	<b>1 264</b>	<b>652</b>
<b>140-205</b>	<b>All sarcomas, incl. bone &amp; conn. tissue</b>	<b>M</b>	<b>156</b>	<b>22</b>	<b>1</b>	<b>12</b>	<b>10</b>	<b>8</b>
		<b>F</b>	<b>179</b>	<b>17</b>	<b>3</b>	<b>26</b>	<b>17</b>	<b>6</b>
<b>140-148</b>	<b>Buccal cavity and pharynx</b>	<b>M</b>	<b>461</b>	<b>55</b>	<b>10</b>	<b>68</b>	<b>41</b>	<b>22</b>
		<b>F</b>	<b>250</b>	<b>31</b>	<b>8</b>	<b>37</b>	<b>18</b>	<b>13</b>
140	Lip	M	53	4	1	4	6	3
		F	33	1	-	7	2	1
141	Tongue	M	75	6	3	14	9	3
		F	40	9	5	3	6	2
142	Salivary glands	M	32	3	-	4	4	-
		F	30	1	-	2	2	1
<b>143-144</b>	<b>Mouth</b>	<b>M</b>	<b>128</b>	<b>17</b>	<b>2</b>	<b>22</b>	<b>8</b>	<b>8</b>
		<b>F</b>	<b>78</b>	<b>12</b>	<b>2</b>	<b>15</b>	<b>5</b>	<b>5</b>
<b>145-148</b>	<b>Pharynx</b>	<b>M</b>	<b>173</b>	<b>25</b>	<b>4</b>	<b>24</b>	<b>14</b>	<b>8</b>
		<b>F</b>	<b>69</b>	<b>8</b>	<b>1</b>	<b>10</b>	<b>3</b>	<b>4</b>
<b>150-159</b>	<b>Digestive organs and peritoneum</b>	<b>M</b>	<b>3 126</b>	<b>265</b>	<b>72</b>	<b>390</b>	<b>227</b>	<b>111</b>
		<b>F</b>	<b>2 732</b>	<b>272</b>	<b>70</b>	<b>341</b>	<b>184</b>	<b>96</b>
150	Esophagus	M	248	35	7	34	23	5
		F	99	9	2	13	8	6
151	Stomach	M	302	26	11	38	21	8
		F	149	14	6	24	6	4
152	Small intestine	M	26	2	-	2	-	2
		F	30	5	-	2	1	-
153	Colon	M	1 101	70	18	137	81	44
	incl. rectosigmoid	F	1 222	112	36	149	78	45
154	Rectum, excl. anus	M	672	52	16	69	50	31
		F	455	47	5	58	32	16
155	Liver	M	162	21	7	22	16	5
		F	83	5	2	12	5	2
155,1	Gallbladder, bil. pass., amp. Vater	M	62	3	-	15	5	-
		F	86	13	3	5	6	4
156	Liver, not spec. as primary	M	168	21	5	19	10	7
		F	202	28	7	21	13	4
157	Pancreas	M	352	28	7	51	19	9
		F	372	38	9	51	32	14
<b>158-159</b>	<b>Peritoneum and other dig. organs</b>	<b>M</b>	<b>33</b>	<b>7</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>-</b>
		<b>F</b>	<b>34</b>	<b>1</b>	<b>-</b>	<b>6</b>	<b>3</b>	<b>1</b>
<b>160-164</b>	<b>Respiratory system</b>	<b>M</b>	<b>2 425</b>	<b>206</b>	<b>34</b>	<b>306</b>	<b>178</b>	<b>98</b>
		<b>F</b>	<b>1 639</b>	<b>183</b>	<b>38</b>	<b>224</b>	<b>104</b>	<b>53</b>
160	Nasal cavities and sinuses	M	43	3	-	6	2	2
		F	20	-	-	2	3	-
161	Larynx	M	186	18	4	22	11	7
		F	39	3	-	6	3	1
162	Lung primary, trachea	M	2 117	178	29	264	154	88
		F	1 558	179	37	211	97	51

Number of newly diagnosed cases of cancer in the municipalities of Copenhagen and Frederiksberg and in Danish counties in 2000 by region, primary site and sex Table 4

Amt County										
Vest- sjælland	Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
781	892	146	1 398	744	656	888	744	1 630	601	1 406
877	890	141	1 603	737	699	1 024	749	1 719	660	1 481
6	7	2	17	13	4	7	7	19	13	8
10	10	2	15	6	8	12	8	16	11	12
34	40	7	34	16	21	22	17	36	16	22
10	16	1	24	11	8	18	7	18	7	23
4	4	-	5	-	2	2	4	6	3	5
2	2	-	5	4	-	3	1	1	-	4
10	8	1	5	5	2	1	-	3	2	3
1	2	-	2	-	1	2	-	3	2	2
1	3	1	1	1	3	4	4	2	-	1
1	4	-	4	-	4	2	1	2	-	6
8	9	-	9	5	8	5	3	10	4	10
2	5	-	7	1	1	7	2	5	4	5
11	16	5	14	5	6	10	6	15	7	3
4	3	1	6	6	2	4	3	7	1	6
181	193	27	289	151	121	184	142	354	114	305
150	157	24	247	128	85	160	126	288	138	266
17	9	2	18	10	7	18	15	24	10	14
3	6	1	11	3	2	6	4	13	2	10
15	20	3	25	15	10	15	11	35	11	38
4	8	1	12	11	6	5	8	18	10	12
1	1	-	5	-	2	1	1	4	2	3
1	3	1	2	4	-	-	2	5	1	3
71	70	9	110	43	52	59	45	147	49	96
68	67	9	115	55	37	63	56	139	66	127
37	48	7	56	41	23	49	42	60	24	67
26	24	5	28	23	12	34	26	42	26	51
4	3	3	13	11	2	9	3	19	6	18
7	5	2	11	4	1	6	3	11	3	4
2	2	-	10	2	1	2	1	10	-	9
5	7	1	8	2	2	4	6	8	7	5
9	18	1	12	12	3	8	9	14	2	18
17	13	1	21	10	5	13	9	15	8	17
23	22	2	36	15	19	23	14	39	8	37
18	22	2	32	14	18	29	11	37	12	33
2	-	-	4	2	2	-	1	2	2	5
1	2	1	7	2	2	-	1	-	3	4
145	141	16	226	101	98	155	112	276	106	227
96	103	12	136	61	62	98	55	217	61	136
2	3	-	4	2	1	-	5	5	3	5
1	4	-	2	-	1	1	-	2	3	1
16	11	2	17	4	6	13	8	22	6	19
1	3	-	2	2	3	2	3	2	1	7
125	127	14	191	94	89	140	95	243	95	191
91	95	12	130	58	58	93	52	211	57	126

**Tabel 4** Antallet af nydiagnostiserede cancertilfælde i København og Frederiksberg kommune, og i de danske amter i 2000, fordelt efter region, lokalisation og køn.

ICD 7. revision	Site	Sex	Total	Kommune <i>Municipality</i>				Amt <i>County</i>
				København	Frederiksberg	København	Frederiksborg	Roskilde
	Pleura	M	63	5	1	10	11	1
		F	13	1	1	2	-	1
163	Lung, not specified as primary	M	-	-	-	-	-	-
		F	-	-	-	-	-	-
164	Mediastinum	M	16	2	-	4	-	-
		F	9	-	-	3	1	-
170	Breast	M	15	-	1	2	1	2
		F	3 890	345	103	536	340	153
<b>171-176</b>	<b>Female genital organs</b>	<b>M</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
		<b>F</b>	<b>1 760</b>	<b>169</b>	<b>51</b>	<b>238</b>	<b>114</b>	<b>71</b>
171	Cervix uteri	M	-	-	-	-	-	-
		F	391	42	11	52	23	20
172	Corpus uteri	M	-	-	-	-	-	-
		F	604	55	16	88	37	22
<b>173-174</b>	<b>Uterus, other and unspecified parts</b>	<b>M</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
		<b>F</b>	<b>33</b>	<b>-</b>	<b>-</b>	<b>9</b>	<b>1</b>	<b>2</b>
175	Ovary, fallopian tube and broad ligament	M	-	-	-	-	-	-
		F	623	63	21	70	46	24
176	Other and unsp. female genital organs	M	-	-	-	-	-	-
		F	109	9	3	19	7	3
<b>177-179</b>	<b>Male genital organs</b>	<b>M</b>	<b>2 256</b>	<b>182</b>	<b>44</b>	<b>311</b>	<b>175</b>	<b>90</b>
		<b>F</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
177	Prostate	M	1 933	145	37	273	147	81
		F	-	-	-	-	-	-
178	Testis	M	278	33	7	34	23	7
		F	-	-	-	-	-	-
179	Other and unsp. male genital organs	M	45	4	-	4	5	2
		F	-	-	-	-	-	-
<b>180-181</b>	<b>Urinary system</b>	<b>M</b>	<b>1 619</b>	<b>136</b>	<b>24</b>	<b>202</b>	<b>102</b>	<b>77</b>
		<b>F</b>	<b>699</b>	<b>65</b>	<b>19</b>	<b>99</b>	<b>30</b>	<b>31</b>
180	Kidney	M	420	32	6	51	35	20
		F	290	33	5	42	8	10
181	Urinary bladder incl. papilloma	M	1 199	104	18	151	67	57
		F	409	32	14	57	22	21
<b>190-191</b>	<b>Skin</b>	<b>M</b>	<b>3 251</b>	<b>291</b>	<b>61</b>	<b>480</b>	<b>275</b>	<b>127</b>
		<b>F</b>	<b>3 699</b>	<b>342</b>	<b>87</b>	<b>585</b>	<b>330</b>	<b>153</b>
190	Melanoma of skin	M	503	43	11	63	49	15
		F	605	37	12	77	39	33
191	Other skin	M	2 748	248	50	417	226	112
		F	3 094	305	75	508	291	120
<b>192-197</b>	<b>Other specified sites</b>	<b>M</b>	<b>648</b>	<b>54</b>	<b>10</b>	<b>58</b>	<b>48</b>	<b>33</b>
		<b>F</b>	<b>796</b>	<b>70</b>	<b>15</b>	<b>107</b>	<b>54</b>	<b>29</b>
192	Eye and lachrymal glands	M	35	3	1	5	-	2
		F	33	4	1	3	2	1
193	Brain and nervous system	M	484	36	7	45	38	25
		F	552	49	12	78	38	20

Number of newly diagnosed cases of cancer in the municipalities of Copenhagen and Frederiksberg and in Danish counties in 2000 by region, primary site and sex Table 4

Amt County										
Vest- sjælland	Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
2	-	-	11	1	2	2	2	4	1	10
3	-	-	2	-	-	1	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	3	-	-	-	2	2	1	2
-	1	-	-	1	-	1	-	1	-	1
-	2	-	1	-	-	1	1	2	1	1
219	184	31	413	184	142	224	168	376	153	319
-	-	-	-	-	-	-	-	-	-	-
<b>97</b>	<b>104</b>	<b>11</b>	<b>138</b>	<b>75</b>	<b>67</b>	<b>97</b>	<b>101</b>	<b>209</b>	<b>58</b>	<b>160</b>
-	-	-	-	-	-	-	-	-	-	-
19	22	2	22	25	8	30	21	50	13	31
-	-	-	-	-	-	-	-	-	-	-
30	39	3	49	17	23	25	38	71	21	70
-	-	-	-	-	-	-	-	-	-	-
<b>3</b>	<b>5</b>	-	<b>4</b>	-	<b>2</b>	<b>2</b>	-	<b>1</b>	<b>1</b>	<b>3</b>
-	-	-	-	-	-	-	-	-	-	-
38	31	4	57	29	32	34	31	68	22	53
-	-	-	-	-	-	-	-	-	-	-
7	7	2	6	4	2	6	11	19	1	3
<b>97</b>	<b>113</b>	<b>22</b>	<b>204</b>	<b>114</b>	<b>101</b>	<b>115</b>	<b>125</b>	<b>259</b>	<b>103</b>	<b>201</b>
-	-	-	-	-	-	-	-	-	-	-
84	95	21	173	96	91	99	110	225	85	171
-	-	-	-	-	-	-	-	-	-	-
12	13	-	25	16	9	15	14	29	14	27
-	-	-	-	-	-	-	-	-	-	-
1	5	1	6	2	1	1	1	5	4	3
-	-	-	-	-	-	-	-	-	-	-
<b>83</b>	<b>102</b>	<b>13</b>	<b>144</b>	<b>78</b>	<b>83</b>	<b>92</b>	<b>87</b>	<b>186</b>	<b>53</b>	<b>157</b>
<b>43</b>	<b>34</b>	<b>6</b>	<b>60</b>	<b>28</b>	<b>30</b>	<b>38</b>	<b>27</b>	<b>78</b>	<b>45</b>	<b>66</b>
21	25	4	28	25	19	27	26	54	14	33
23	8	2	24	11	9	22	12	33	24	24
62	77	9	116	53	64	65	61	132	39	124
20	26	4	36	17	21	16	15	45	21	42
<b>125</b>	<b>164</b>	<b>38</b>	<b>316</b>	<b>168</b>	<b>164</b>	<b>213</b>	<b>164</b>	<b>272</b>	<b>100</b>	<b>293</b>
<b>152</b>	<b>163</b>	<b>40</b>	<b>367</b>	<b>146</b>	<b>209</b>	<b>256</b>	<b>156</b>	<b>301</b>	<b>97</b>	<b>315</b>
18	20	5	58	18	27	35	23	57	20	41
34	27	4	58	24	38	43	25	78	20	56
107	144	33	258	150	137	178	141	215	80	252
118	136	36	309	122	171	213	131	223	77	259
<b>32</b>	<b>40</b>	<b>5</b>	<b>58</b>	<b>47</b>	<b>27</b>	<b>36</b>	<b>26</b>	<b>87</b>	<b>32</b>	<b>55</b>
<b>36</b>	<b>43</b>	<b>9</b>	<b>67</b>	<b>28</b>	<b>44</b>	<b>53</b>	<b>41</b>	<b>82</b>	<b>42</b>	<b>76</b>
1	3	1	1	3	2	1	-	7	3	2
1	2	-	1	4	1	3	2	1	5	2
26	30	3	44	34	20	31	22	58	19	46
26	27	4	50	18	33	30	34	56	26	51

**Tabel 4** Antallet af nydiagnostiserede cancertilfælde i København og Frederiksberg kommune, og i de danske amter i 2000, fordelt efter region, lokalisation og køn.

ICD 7. revision	Site	Sex	Total	Kommune <i>Municipality</i>		Amt <i>County</i>		
				København	Frederiksberg	København	Frederiksborg	Roskilde
197	Connective tissue	F	16	-	-	3	-	1
		M	52	7	1	4	5	2
		F	65	7	-	7	8	-
<b>198-199</b>	<b>Secondary and unspecified sites</b>	<b>M</b>	<b>399</b>	<b>41</b>	<b>6</b>	<b>57</b>	<b>27</b>	<b>12</b>
		<b>F</b>	<b>481</b>	<b>54</b>	<b>7</b>	<b>51</b>	<b>33</b>	<b>21</b>
198	Metastases	M	208	18	1	26	13	6
		F	212	22	4	19	11	11
199	Other and unspecified sites	M	191	23	5	31	14	6
		F	269	32	3	32	22	10
<b>200-205</b>	<b>Lymphatic and hematopoietic tiss.</b>	<b>M</b>	<b>1 039</b>	<b>83</b>	<b>15</b>	<b>118</b>	<b>76</b>	<b>49</b>
		<b>F</b>	<b>907</b>	<b>79</b>	<b>16</b>	<b>115</b>	<b>57</b>	<b>32</b>
200,202	Non-Hodgkin lymphoma	M	376	35	6	44	29	16
		F	374	38	4	50	28	16
201	Hodgkin's disease	M	58	6	1	7	3	3
		F	55	3	2	5	3	1
203	Multiple myeloma	M	181	14	4	18	16	5
		F	163	11	3	24	9	4
204	Leukemia	M	414	28	4	46	28	25
		F	307	27	7	35	16	10
205	Mycosis fungoides	M	10	-	-	3	-	-
		F	8	-	-	1	1	1

Number of newly diagnosed cases of cancer in the municipalities of Copenhagen and Frederiksberg and in Danish counties in 2000 by region, primary site and sex

Table 4

Amt County										
Vest- sjælland	Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
-	-	-	4	1	1	3	-	-	2	1
-	1	1	5	6	1	2	3	7	7	-
3	4	2	1	4	3	6	3	6	6	5
<b>24</b>	<b>28</b>	<b>8</b>	<b>31</b>	<b>18</b>	<b>8</b>	<b>15</b>	<b>20</b>	<b>43</b>	<b>19</b>	<b>42</b>
<b>25</b>	<b>30</b>	<b>2</b>	<b>53</b>	<b>22</b>	<b>18</b>	<b>29</b>	<b>26</b>	<b>50</b>	<b>16</b>	<b>44</b>
15	15	4	17	8	7	9	10	28	10	21
12	16	-	28	6	5	17	14	22	11	14
9	13	4	14	10	1	6	10	15	9	21
13	14	2	25	16	13	12	12	28	5	30
<b>60</b>	<b>69</b>	<b>10</b>	<b>95</b>	<b>51</b>	<b>33</b>	<b>55</b>	<b>50</b>	<b>115</b>	<b>57</b>	<b>103</b>
<b>49</b>	<b>56</b>	<b>5</b>	<b>98</b>	<b>54</b>	<b>34</b>	<b>51</b>	<b>42</b>	<b>100</b>	<b>43</b>	<b>76</b>
29	20	2	40	16	13	25	15	36	14	36
19	24	3	49	17	15	14	15	39	15	28
-	2	-	4	3	2	3	2	14	3	5
5	6	-	6	2	3	6	-	9	2	2
11	12	4	20	12	7	9	8	17	9	15
7	11	-	15	11	5	12	11	17	11	12
20	35	4	31	19	11	16	24	46	31	46
18	14	2	28	23	11	18	16	33	15	34
-	-	-	-	1	-	2	1	2	-	1
-	1	-	-	1	-	1	-	2	-	-

**Tabel 5 Diagnosegrundlag for nydiagnostiserede cancertilfælde i Danmark i 2000, opdelt efter primær lokalisation og køn.**

ICD 7th Revision	Site	Sex	Total	Histology
<b>140-205</b>	<b>All malignant neoplasms</b>	<b>M</b>	<b>15 239</b>	<b>13 632 (89.5%)</b>
		<b>F</b>	<b>16 853</b>	<b>15 261 (90.6%)</b>
<b>140-205</b>	<b>All sarcomas, incl. bone &amp; conn. tissue</b>	<b>M</b>	<b>156</b>	<b>154 (98.7%)</b>
		<b>F</b>	<b>179</b>	<b>174 (97.2%)</b>
<b>140-148</b>	<b>Buccal cavity and pharynx</b>	<b>M</b>	<b>461</b>	<b>449 (97.4%)</b>
		<b>F</b>	<b>250</b>	<b>246 (98.4%)</b>
140	Lip	M	53	51 (96.2%)
		F	33	32 (97.0%)
141	Tongue	M	75	75 (100.0%)
		F	40	39 (97.5%)
142	Salivary glands	M	32	28 (87.5%)
		F	30	30 (100.0%)
<b>143-144</b>	<b>Mouth</b>	<b>M</b>	<b>128</b>	<b>126 (98.4%)</b>
		<b>F</b>	<b>78</b>	<b>76 (97.4%)</b>
<b>145-148</b>	<b>Pharynx</b>	<b>M</b>	<b>173</b>	<b>169 (97.7%)</b>
		<b>F</b>	<b>69</b>	<b>69 (100.0%)</b>
<b>150-159</b>	<b>Digestive organs and peritoneum</b>	<b>M</b>	<b>3 126</b>	<b>2 739 (87.6%)</b>
		<b>F</b>	<b>2 732</b>	<b>2 251 (82.4%)</b>
150	Esophagus	M	248	225 (90.7%)
		F	99	90 (90.9%)
151	Stomach	M	302	282 (93.4%)
		F	149	141 (94.6%)
152	Small intestine	M	26	25 (96.2%)
		F	30	29 (96.7%)
153	Colon	M	1 101	1 007 (91.5%)
	incl. rectosigmoid	F	1 222	1 111 (90.9%)
154	Rectum, excl. anus	M	672	638 (94.9%)
		F	455	420 (92.3%)
155.0	Liver	M	162	144 (88.9%)
		F	83	59 (71.1%)
155.1	Gallbladder, bil. pass., amp. Vater	M	62	42 (67.7%)
		F	86	60 (69.8%)
156	Liver, not spec. as primary	M	168	108 (64.3%)
		F	202	107 (53.0%)
157	Pancreas	M	352	238 (67.6%)
		F	372	207 (55.6%)
<b>158-159</b>	<b>Peritoneum and other dig. organs</b>	<b>M</b>	<b>33</b>	<b>30 (90.9%)</b>
		<b>F</b>	<b>34</b>	<b>27 (79.4%)</b>
<b>160-164</b>	<b>Respiratory system</b>	<b>M</b>	<b>2 425</b>	<b>2 065 (85.2%)</b>
		<b>F</b>	<b>1 639</b>	<b>1 356 (82.7%)</b>
160	Nasal cavities and sinuses	M	43	42 (97.7%)
		F	20	20 (100.0%)
161	Larynx	M	186	182 (97.8%)
		F	39	36 (92.3%)
162	Lung primary, trachea	M	2 117	1 769 (83.6%)
		F	1 558	1 280 (82.2%)

Verification of diagnosis in newly diagnosed cases of cancer in Denmark in 2000, by primary site and sex.

Table 5

Autopsy without histology	Metode til verifikation			Death certificate only	ICD 7th Revision
	Operation or endoscopy without histology	Other specified and unknown			
7 (0.0%)	417 (2.7%)	1 002 (6.6%)	181 (1.2%)	140-205	
16 (0.1%)	432 (2.6%)	987 (5.9%)	157 (0.9%)	140-205	
0 (0.0%)	1 (0.6%)	- (0.0%)	1 (0.6%)	140-205	
0 (0.0%)	2 (1.1%)	1 (0.6%)	2 (1.1%)	140-148	
0 (0.0%)	3 (0.7%)	4 (0.9%)	5 (1.1%)	140-148	
0 (0.0%)	1 (0.4%)	2 (0.8%)	1 (0.4%)	140-148	
0 (0.0%)	1 (1.9%)	- (0.0%)	1 (1.9%)	140	
0 (0.0%)	1 (3.0%)	- (0.0%)	0 (0.0%)	141	
0 (0.0%)	0 (0.0%)	- (0.0%)	0 (0.0%)	141	
0 (0.0%)	0 (0.0%)	1 (2.5%)	0 (0.0%)	142	
0 (0.0%)	1 (3.1%)	- (0.0%)	3 (9.4%)	142	
0 (0.0%)	0 (0.0%)	- (0.0%)	0 (0.0%)	143-144	
0 (0.0%)	1 (0.8%)	1 (0.8%)	0 (0.0%)	143-144	
0 (0.0%)	0 (0.0%)	1 (1.3%)	1 (1.3%)	145-148	
0 (0.0%)	0 (0.0%)	3 (1.7%)	1 (0.6%)	145-148	
0 (0.0%)	0 (0.0%)	- (0.0%)	0 (0.0%)	150-159	
3 (0.1%)	149 (4.8%)	182 (5.8%)	53 (1.7%)	150-159	
9 (0.3%)	163 (6.0%)	261 (9.6%)	48 (1.8%)	150	
0 (0.0%)	14 (5.6%)	2 (0.8%)	7 (2.8%)	150	
0 (0.0%)	5 (5.1%)	1 (1.0%)	3 (3.0%)	151	
0 (0.0%)	11 (3.6%)	1 (0.3%)	8 (2.6%)	151	
0 (0.0%)	2 (1.3%)	2 (1.3%)	4 (2.7%)	152	
0 (0.0%)	0 (0.0%)	1 (3.8%)	0 (0.0%)	152	
0 (0.0%)	0 (0.0%)	- (0.0%)	1 (3.3%)	153	
2 (0.2%)	53 (4.8%)	26 (2.4%)	13 (1.2%)	153	
3 (0.2%)	69 (5.6%)	28 (2.3%)	11 (0.9%)	154	
0 (0.0%)	17 (2.5%)	12 (1.8%)	5 (0.7%)	154	
1 (0.2%)	15 (3.3%)	12 (2.6%)	7 (1.5%)	155.0	
0 (0.0%)	4 (2.5%)	12 (7.4%)	2 (1.2%)	155.0	
1 (1.2%)	5 (6.0%)	17 (20.5%)	1 (1.2%)	155.1	
0 (0.0%)	6 (9.7%)	12 (19.4%)	2 (3.2%)	155.1	
0 (0.0%)	14 (16.3%)	12 (14.0%)	0 (0.0%)	156	
0 (0.0%)	4 (2.4%)	52 (31.0%)	4 (2.4%)	156	
0 (0.0%)	6 (3.0%)	84 (41.6%)	5 (2.5%)	157	
1 (0.3%)	40 (11.4%)	62 (17.6%)	11 (3.1%)	157	
4 (1.1%)	45 (12.1%)	101 (27.2%)	15 (4.0%)	158-159	
0 (0.0%)	0 (0.0%)	2 (6.1%)	1 (3.0%)	158-159	
0 (0.0%)	2 (5.9%)	4 (11.8%)	1 (2.9%)	160-164	
3 (0.1%)	31 (1.3%)	291 (12.0%)	35 (1.4%)	160-164	
3 (0.2%)	13 (0.8%)	238 (14.5%)	29 (1.8%)	160	
0 (0.0%)	0 (0.0%)	1 (2.3%)	0 (0.0%)	160	
0 (0.0%)	0 (0.0%)	- (0.0%)	0 (0.0%)	161	
0 (0.0%)	2 (1.1%)	2 (1.1%)	0 (0.0%)	161	
0 (0.0%)	1 (2.6%)	2 (5.1%)	0 (0.0%)	162	
2 (0.1%)	29 (1.4%)	283 (13.4%)	34 (1.6%)	162	
3 (0.2%)	12 (0.8%)	234 (15.0%)	29 (1.9%)	162	

**Tabel 5 Diagnosegrundlag for nydiagnostiserede cancertilfælde i Danmark i 2000, opdelt efter primær lokalisation og køn.**

ICD 7th Revision	Site	Sex	Total	Histology
162.2	Pleura	M	63	60 (95.2%)
		F	13	13 (100.0%)
163	Lung, not specified as primary	M	-	- (0.0%)
		F	-	- (0.0%)
164	Mediastinum	M	16	12 (75.0%)
		F	9	7 (77.8%)
170	Breast	M	15	14 (93.3%)
		F	3 890	3 754 (96.5%)
<b>171-176</b>	<b>Female genital organs</b>	<b>M</b>	<b>-</b>	<b>- (0.0%)</b>
		<b>F</b>	<b>1 760</b>	<b>1 693 (96.2%)</b>
171	Cervix uteri	M	-	- (0.0%)
		F	391	382 (97.7%)
172	Corpus uteri	M	-	- (0.0%)
		F	604	588 (97.4%)
<b>173-174</b>	<b>Uterus, other and unspecified parts</b>	<b>M</b>	<b>-</b>	<b>- (0.0%)</b>
		<b>F</b>	<b>33</b>	<b>32 (97.0%)</b>
175	Ovary, fallopian tube and broad ligament	M	-	- (0.0%)
		F	623	589 (94.5%)
176	Other and unsp. female genital organs	M	-	- (0.0%)
		F	109	102 (93.6%)
<b>177-179</b>	<b>Male genital organs</b>	<b>M</b>	<b>2 256</b>	<b>1 990 (88.2%)</b>
		<b>F</b>	<b>-</b>	<b>- (0.0%)</b>
177	Prostate	M	1 933	1 675 (86.7%)
		F	-	- (0.0%)
178	Testis	M	278	270 (97.1%)
		F	-	- (0.0%)
179	Other and unsp. male genital organs	M	45	45 (100.0%)
		F	-	- (0.0%)
<b>180-181</b>	<b>Urinary system</b>	<b>M</b>	<b>1 619</b>	<b>1 496 (92.4%)</b>
		<b>F</b>	<b>699</b>	<b>608 (87.0%)</b>
180	Kidney	M	420	349 (83.1%)
		F	290	226 (77.9%)
181	Urinary bladder incl. papilloma	M	1 199	1 147 (95.7%)
		F	409	382 (93.4%)
<b>190-191</b>	<b>Skin</b>	<b>M</b>	<b>3 251</b>	<b>3 142 (96.6%)</b>
		<b>F</b>	<b>3 699</b>	<b>3 585 (96.9%)</b>
190	Melanoma of skin	M	503	486 (96.6%)
		F	605	587 (97.0%)
191	Other skin	M	2 748	2 656 (96.7%)
		F	3 094	2 998 (96.9%)
<b>192-197</b>	<b>Other specified sites</b>	<b>M</b>	<b>648</b>	<b>479 (73.9%)</b>
		<b>F</b>	<b>796</b>	<b>583 (73.2%)</b>
192	Eye and lachrymal glands	M	35	30 (85.7%)
		F	33	25 (75.8%)
193	Brain and nervous system	M	484	321 (66.3%)
		F	552	355 (64.3%)

Verification of diagnosis in newly diagnosed cases of cancer in Denmark in 2000, by primary site and sex.

Table 5

	Metode til verifikation								
	Autopsy without histology		Operation or endoscopy without histology		Other specified and unknown		Death certificate only		ICD 7th Revision
	1	(1.6%)	0	(0.0%)	1	(1.6%)	1	(1.6%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	163
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	4	(25.0%)	0	(0.0%)	164
	0	(0.0%)	0	(0.0%)	2	(22.2%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	1	(6.7%)	0	(0.0%)	170
	0	(0.0%)	61	(1.6%)	62	(1.6%)	13	(0.3%)	
	<b>0</b>	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	-	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	<b>171-176</b>
	<b>2</b>	<b>(0.1%)</b>	<b>33</b>	<b>(1.9%)</b>	<b>25</b>	<b>(1.4%)</b>	<b>7</b>	<b>(0.4%)</b>	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	171
	0	(0.0%)	5	(1.3%)	3	(0.8%)	1	(0.3%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	172
	0	(0.0%)	12	(2.0%)	3	(0.5%)	1	(0.2%)	
	<b>0</b>	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	-	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	<b>173-174</b>
	<b>0</b>	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	-	<b>(0.0%)</b>	<b>1</b>	<b>(3.0%)</b>	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	175
	2	(0.3%)	15	(2.4%)	14	(2.2%)	3	(0.5%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	176
	0	(0.0%)	1	(0.9%)	5	(4.6%)	1	(0.9%)	
	<b>0</b>	<b>(0.0%)</b>	<b>70</b>	<b>(3.1%)</b>	<b>169</b>	<b>(7.5%)</b>	<b>27</b>	<b>(1.2%)</b>	<b>177-179</b>
	<b>0</b>	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	-	<b>(0.0%)</b>	<b>0</b>	<b>(0.0%)</b>	
	0	(0.0%)	65	(3.4%)	168	(8.7%)	25	(1.3%)	177
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	0	(0.0%)	5	(1.8%)	1	(0.4%)	2	(0.7%)	178
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	179
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	<b>0</b>	<b>(0.0%)</b>	<b>45</b>	<b>(2.8%)</b>	<b>67</b>	<b>(4.1%)</b>	<b>11</b>	<b>(0.7%)</b>	<b>180-181</b>
	<b>1</b>	<b>(0.1%)</b>	<b>31</b>	<b>(4.4%)</b>	<b>48</b>	<b>(6.9%)</b>	<b>11</b>	<b>(1.6%)</b>	
	0	(0.0%)	13	(3.1%)	52	(12.4%)	6	(1.4%)	180
	0	(0.0%)	13	(4.5%)	42	(14.5%)	9	(3.1%)	
	0	(0.0%)	32	(2.7%)	15	(1.3%)	5	(0.4%)	181
	1	(0.2%)	18	(4.4%)	6	(1.5%)	2	(0.5%)	
	<b>0</b>	<b>(0.0%)</b>	<b>89</b>	<b>(2.7%)</b>	<b>16</b>	<b>(0.5%)</b>	<b>4</b>	<b>(0.1%)</b>	<b>190-191</b>
	<b>1</b>	<b>(0.0%)</b>	<b>90</b>	<b>(2.4%)</b>	<b>18</b>	<b>(0.5%)</b>	<b>5</b>	<b>(0.1%)</b>	
	0	(0.0%)	13	(2.6%)	1	(0.2%)	3	(0.6%)	190
	0	(0.0%)	16	(2.6%)	1	(0.2%)	1	(0.2%)	
	0	(0.0%)	76	(2.8%)	15	(0.5%)	1	(0.0%)	191
	1	(0.0%)	74	(2.4%)	17	(0.5%)	4	(0.1%)	
	<b>0</b>	<b>(0.0%)</b>	<b>10</b>	<b>(1.5%)</b>	<b>150</b>	<b>(23.1%)</b>	<b>9</b>	<b>(1.4%)</b>	<b>192-197</b>
	<b>0</b>	<b>(0.0%)</b>	<b>23</b>	<b>(2.9%)</b>	<b>187</b>	<b>(23.5%)</b>	<b>3</b>	<b>(0.4%)</b>	
	0	(0.0%)	1	(2.9%)	4	(11.4%)	0	(0.0%)	192
	0	(0.0%)	6	(18.2%)	2	(6.1%)	0	(0.0%)	
	0	(0.0%)	9	(1.9%)	146	(30.2%)	8	(1.7%)	193
	0	(0.0%)	14	(2.5%)	182	(33.0%)	1	(0.2%)	

**Tabel 5 Diagnosegrundlag for nydiagnostiserede cancertilfælde i Danmark i 2000, opdelt efter primær lokalisation og køn.**

ICD 7th Revision	Site	Sex	Total	Histology
194	Thyroid	M	52	52 (100.0%)
		F	119	116 (97.5%)
195	Endocrine glands	M	9	9 (100.0%)
		F	11	9 (81.8%)
196	Bone	M	16	16 (100.0%)
		F	16	16 (100.0%)
197	Connective tissue	M	52	51 (98.1%)
		F	65	62 (95.4%)
<b>198-199</b>	<b>Secondary and unspecified sites</b>	<b>M</b>	<b>399</b>	<b>277 (69.4%)</b>
		<b>F</b>	<b>481</b>	<b>328 (68.2%)</b>
198	Metastases	M	208	165 (79.3%)
		F	212	165 (77.8%)
199	Other and unspecified sites	M	191	112 (58.6%)
		F	269	163 (60.6%)
<b>200-205</b>	<b>Lymphatic and hematopoietic tiss.</b>	<b>M</b>	<b>1 039</b>	<b>981 (94.4%)</b>
		<b>F</b>	<b>907</b>	<b>857 (94.5%)</b>
200,202	Non-Hodgkin lymphoma	M	376	359 (95.5%)
		F	374	361 (96.5%)
201	Hodgkin's disease	M	58	57 (98.3%)
		F	55	55 (100.0%)
203	Multiple myeloma	M	181	173 (95.6%)
		F	163	155 (95.1%)
204	Leukemia	M	414	382 (92.3%)
		F	307	279 (90.9%)
205	Mycosis fungoides	M	10	10 (100.0%)
		F	8	7 (87.5%)

Verification of diagnosis in newly diagnosed cases of cancer in Denmark in 2000, by primary site and sex.

Table 5

	Metode til verifikation								ICD 7th Revision
	Autopsy without histology		Operation or endoscopy without histology		Other specified and unknown		Death certificate only		
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	194
	0	(0.0%)	0	(0.0%)	3	(2.5%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	195
	0	(0.0%)	1	(9.1%)	-	(0.0%)	1	(9.1%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	196
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	1	(1.9%)	197
	0	(0.0%)	2	(3.1%)	-	(0.0%)	1	(1.5%)	
	<b>0</b>	<b>(0.0%)</b>	<b>16</b>	<b>(4.0%)</b>	<b>88</b>	<b>(22.1%)</b>	<b>18</b>	<b>(4.5%)</b>	<b>198-199</b>
	<b>0</b>	<b>(0.0%)</b>	<b>16</b>	<b>(3.3%)</b>	<b>109</b>	<b>(22.7%)</b>	<b>28</b>	<b>(5.8%)</b>	
	0	(0.0%)	7	(3.4%)	34	(16.3%)	2	(1.0%)	198
	0	(0.0%)	7	(3.3%)	37	(17.5%)	3	(1.4%)	
	0	(0.0%)	9	(4.7%)	54	(28.3%)	16	(8.4%)	199
	0	(0.0%)	9	(3.3%)	72	(26.8%)	25	(9.3%)	
	<b>1</b>	<b>(0.1%)</b>	<b>4</b>	<b>(0.4%)</b>	<b>34</b>	<b>(3.3%)</b>	<b>19</b>	<b>(1.8%)</b>	<b>200-205</b>
	<b>0</b>	<b>(0.0%)</b>	<b>1</b>	<b>(0.1%)</b>	<b>37</b>	<b>(4.1%)</b>	<b>12</b>	<b>(1.3%)</b>	
	0	(0.0%)	3	(0.8%)	12	(3.2%)	2	(0.5%)	200,202
	0	(0.0%)	1	(0.3%)	10	(2.7%)	2	(0.5%)	
	0	(0.0%)	0	(0.0%)	1	(1.7%)	0	(0.0%)	201
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	
	0	(0.0%)	0	(0.0%)	4	(2.2%)	4	(2.2%)	203
	0	(0.0%)	0	(0.0%)	5	(3.1%)	3	(1.8%)	
	1	(0.2%)	1	(0.2%)	17	(4.1%)	13	(3.1%)	204
	0	(0.0%)	0	(0.0%)	21	(6.8%)	7	(2.3%)	
	0	(0.0%)	0	(0.0%)	-	(0.0%)	0	(0.0%)	205
	0	(0.0%)	0	(0.0%)	1	(12.5%)	0	(0.0%)	

Antallet af nydiagnostiserede tilfælde af dysplasi og carcinoma in situ på cervix uteri, fordelt efter alder og region i 2000

Tabel 6

Diagnosis	Alder Age group	Total	Kommune <i>Municipality</i>			Amt <i>County</i>	
			København	Frederiksberg	København	Frederiksberg	Roskilde
Carcinoma in situ	All ages	1024	128	22	102	53	22
	0-9	-	-	-	-	-	-
	10-14	-	-	-	-	-	-
	15-19	1	-	-	-	-	-
	20-24	97	8	2	5	3	3
	25-29	262	50	7	27	10	4
	30-34	241	35	7	25	9	7
	35-39	161	11	3	19	9	6
	40-44	85	10	1	10	5	-
	45-49	65	3	-	5	5	1
	50-54	40	4	1	-	6	-
	55-59	32	3	1	4	3	-
	60-64	15	2	-	5	2	-
	65-69	10	-	-	1	-	-
	70-74	6	-	-	-	-	-
	75-79	7	2	-	-	1	1
	80-84	-	-	-	-	-	-
85+	2	-	-	1	-	-	
Severe dysplasia	All ages	980	140	16	85	64	35
	0-9	-	-	-	-	-	-
	10-14	-	-	-	-	-	-
	15-19	7	1	-	2	-	-
	20-24	123	21	4	8	8	2
	25-29	299	52	5	23	12	7
	30-34	220	35	3	16	18	11
	35-39	142	13	2	18	13	7
	40-44	88	11	1	9	6	5
	45-49	48	3	1	2	4	2
	50-54	33	1	-	3	1	1
	55-59	8	1	-	2	1	-
	60-64	5	-	-	2	-	-
	65-69	4	1	-	-	1	-
	70-74	1	-	-	-	-	-
	75-79	1	1	-	-	-	-
	80-84	1	-	-	-	-	-
85+	-	-	-	-	-	-	

Number of newly diagnosed cases of dysplasia and carcinoma in situ of the cervix uteri by age and region in 2000

Table 6

Amt County										
Vest- sjælland	Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
<b>78</b>	<b>21</b>	<b>11</b>	<b>103</b>	<b>26</b>	<b>43</b>	<b>60</b>	<b>103</b>	<b>126</b>	<b>25</b>	<b>101</b>
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-
10	2	-	21	1	3	7	8	15	-	9
13	2	4	29	5	8	15	19	36	11	22
16	5	3	18	5	8	13	23	31	7	29
15	4	2	14	4	9	9	17	15	3	21
5	4	1	8	4	8	4	9	10	0	6
5	2	1	8	3	1	4	13	10	1	3
4	-	-	-	2	2	4	6	5	2	4
5	2	-	4	-	2	1	3	1	-	3
1	-	-	1	1	-	-	1	1	-	1
3	-	-	-	1	-	1	2	-	-	2
-	-	-	-	-	1	1	1	1	1	1
1	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-
<b>34</b>	<b>39</b>	<b>9</b>	<b>23</b>	<b>41</b>	<b>38</b>	<b>78</b>	<b>18</b>	<b>148</b>	<b>43</b>	<b>169</b>
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	2	-
4	-	1	3	3	2	10	2	22	5	28
6	16	3	7	11	13	27	7	49	14	47
5	6	1	4	9	9	15	7	29	6	46
5	6	3	1	11	6	12	1	14	8	22
4	5	1	5	4	3	6	-	14	3	11
7	4	-	1	-	4	3	-	8	2	7
2	-	-	1	2	-	3	1	9	2	7
-	2	-	-	1	-	1	-	-	-	-
1	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-

Tabel 6

Antallet af nydiagnostiserede tilfælde af dysplasi og carcinoma in situ på cervix uteri, fordelt efter alder og region i 2000

Diagnosis	Alder Age group	Total	Kommune <i>Municipality</i>		Amt <i>County</i>		
			København	Frederiksberg	København	Frederiksberg	Roskilde
Moderate dysplasia	All ages	623	96	12	52	37	21
	0-9	-	-	-	-	-	-
	10-14	-	-	-	-	-	-
	15-19	11	-	-	3	1	-
	20-24	110	20	1	4	2	3
	25-29	152	30	5	12	9	5
	30-34	103	20	-	8	6	5
	35-39	86	9	3	8	8	3
	40-44	66	6	2	8	4	2
	45-49	44	8	1	3	4	1
	50-54	28	2	-	3	1	1
	55-59	12	1	-	-	1	1
	60-64	5	-	-	1	1	-
	65-69	1	-	-	-	-	-
	70-74	3	-	-	1	-	-
	75-79	2	-	-	1	-	-
	80-84	-	-	-	-	-	-
85+	-	-	-	-	-	-	
Mild dysplasia	All ages	424	42	8	23	15	19
	0-9	-	-	-	-	-	-
	10-14	-	-	-	-	-	-
	15-19	7	-	-	1	1	1
	20-24	64	6	1	2	-	3
	25-29	84	22	2	2	3	3
	30-34	67	3	2	5	4	4
	35-39	53	1	-	3	2	3
	40-44	49	3	-	3	3	1
	45-49	41	4	-	3	-	3
	50-54	31	1	3	2	1	1
	55-59	17	2	-	-	-	-
	60-64	6	-	-	2	1	-
	65-69	4	-	-	-	-	-
	70-74	1	-	-	-	-	-
	75-79	-	-	-	-	-	-
	80-84	-	-	-	-	-	-
85+	-	-	-	-	-	-	

Number of newly diagnosed cases of dysplasia and carcinoma in situ of the cervix uteri by age and region in 2000

Table 6

Amt County										
Vest- sjælland	Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
<b>17</b>	<b>29</b>	<b>1</b>	<b>34</b>	<b>31</b>	<b>18</b>	<b>44</b>	<b>55</b>	<b>55</b>	<b>38</b>	<b>83</b>
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	3	1	1	1
-	6	-	13	1	4	9	15	4	4	24
6	6	-	8	3	8	9	11	15	4	21
4	4	-	4	8	1	14	7	7	5	10
5	3	1	3	8	3	7	5	5	8	7
-	4	-	1	1	1	1	3	17	8	8
1	3	-	1	1	-	3	7	2	5	4
-	1	-	2	6	-	-	4	3	1	4
1	-	-	1	1	1	-	-	1	1	3
-	1	-	1	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
<b>8</b>	<b>39</b>	<b>1</b>	<b>27</b>	<b>22</b>	<b>13</b>	<b>11</b>	<b>91</b>	<b>7</b>	<b>54</b>	<b>44</b>
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	2
-	5	-	5	3	2	1	15	-	10	11
4	7	-	11	5	1	2	11	2	3	6
3	8	-	2	5	1	4	9	-	12	5
-	6	-	2	4	1	1	20	2	4	4
-	4	-	3	1	5	3	9	2	9	3
-	5	-	1	-	1	-	12	-	7	5
1	-	-	2	2	1	-	9	1	5	2
-	3	1	1	2	1	-	2	-	2	3
-	-	-	-	-	-	-	1	-	-	2
-	1	-	-	-	-	-	1	-	2	-
-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-

Tabel 6

Antallet af nydiagnostiserede tilfælde af dysplasi og carcinoma in situ på cervix uteri, fordelt efter alder og region i 2000

Diagnosis	Alder Age group	Total	Kommune <i>Municipality</i>		Amt <i>County</i>		
			København	Frederiksberg	København	Frederiksberg	Roskilde
			<b>Dysplasia NOS</b>	<b>All ages</b>	<b>211</b>	<b>18</b>	<b>11</b>
	0-9	-	-	-	-	-	-
	10-14	-	-	-	-	-	-
	15-19	4	-	-	1	-	-
	20-24	19	3	2	2	-	1
	25-29	37	5	1	2	1	1
	30-34	36	4	2	1	1	3
	35-39	27	1	2	3	1	-
	40-44	32	3	2	2	-	1
	45-49	22	-	-	1	-	-
	50-54	15	1	2	1	-	-
	55-59	7	-	-	-	1	-
	60-64	5	-	-	-	1	-
	65-69	2	-	-	-	1	-
	70-74	3	1	-	1	-	-
	75-79	2	-	-	-	1	-
	80-84	-	-	-	-	-	-
	85+	-	-	-	-	-	-

Number of newly diagnosed cases of dysplasia and carcinoma in situ of the cervix uteri by age and region in 2000

Table 6

Amt County										
Vest- sjælland	Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
1	1	1	5	7	2	10	80	35	8	5
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	1
-	-	-	-	-	-	1	7	2	1	-
-	-	-	2	2	1	3	9	6	3	1
-	1	-	1	1	1	1	10	7	1	2
-	-	-	-	-	-	1	12	6	1	-
-	-	-	-	1	-	4	12	6	1	-
-	-	1	1	-	-	-	15	4	-	-
1	-	-	-	2	-	-	7	-	1	-
-	-	-	-	1	-	-	2	2	-	1
-	-	-	1	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-

Tabel 7 Antallet af nydiagnostiserede concertilfælde 1991 – 2000, efter primær lokalisation og køn.

Table 7

*Number of newly diagnosed cases of cancer 1991-2000, by primary site and sex.*

ICD 7. revision	Site	Sex	Diagnoseår Year of diagnosis									
			1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
140-205	All malignant neoplasms	M	13 601	14 093	13 798	14 148	14 022	14 225	14 688	14 987	15 223	15 239
		F	14 601	15 185	15 101	15 438	15 467	15 552	15 962	16 415	16 556	16 853
140-205	All sarcomas, incl. bone & conn. tissue	M	181	159	172	191	182	171	154	189	164	156
		F	159	167	162	130	146	154	190	167	159	179
140-148	Buccal cavity and pharynx	M	388	367	377	464	408	445	412	458	431	461
		F	157	186	193	182	183	212	194	214	206	250
140	Lip	M	109	110	81	104	81	92	68	89	55	53
		F	22	17	23	26	18	28	21	20	21	33
141	Tongue	M	51	36	36	55	56	66	71	66	79	75
		F	9	28	28	31	34	27	29	28	44	40
142	Salivary glands	M	14	27	29	33	26	35	30	29	27	32
		F	14	20	24	28	18	20	30	23	20	30
143-144	Mouth	M	112	104	98	123	114	111	114	126	119	128
		F	77	62	69	62	73	78	72	67	73	78
145-148	Pharynx	M	102	90	133	149	131	141	129	148	151	173
		F	35	59	49	35	40	59	42	76	48	69
150-159	Digestive organs and peritoneum	M	2 835	2 995	3 013	3 046	2 880	2 968	3 025	3 125	3 114	3 126
		F	2 781	2 775	2 750	2 776	2 724	2 662	2 923	2 965	2 883	2 732
150	Esophagus	M	203	208	205	223	226	255	263	252	245	248
		F	83	91	81	99	83	99	115	91	102	99
151	Stomach	M	336	371	375	375	354	343	327	303	332	302
		F	266	233	234	205	213	215	203	219	201	149
152	Small intestine	M	34	42	17	39	23	30	35	42	33	26
		F	31	26	30	28	23	31	30	37	32	30
153	Colon incl. rectosigmoid	M	938	1 001	1 036	1 023	976	1 029	1 009	1 148	1 112	1 101
		F	1 183	1 225	1 120	1 228	1 214	1 146	1 322	1 296	1 261	1 222
154	Rectum, excl. anus	M	640	668	681	675	579	614	661	595	626	672
		F	454	467	520	468	464	459	507	521	477	455
155.0	Liver	M	125	131	140	148	155	125	137	142	155	162
		F	91	103	93	93	88	83	74	88	96	83
155.1	Gallbladder, bil. pass., amp. Vater	M	67	88	65	76	71	71	49	70	75	62
		F	126	122	135	111	96	114	98	95	119	86
156	Liver, not spec. as primary	M	146	138	158	150	181	192	177	207	173	168
		F	150	135	173	167	180	171	197	190	197	202
157	Pancreas	M	307	325	313	304	288	286	343	343	343	352
		F	365	341	334	347	332	320	350	393	369	372
158-159	Peritoneum and other dig. organs	M	39	23	23	33	27	23	24	23	20	33
		F	32	32	30	30	31	24	27	35	29	34
160-164	Respiratory system	M	2 350	2 401	2 411	2 416	2 378	2 290	2 400	2 272	2 359	2 425
		F	1 262	1 232	1 338	1 490	1 433	1 426	1 527	1 547	1 645	1 639
160	Nasal cavities and sinuses	M	28	27	34	37	37	29	40	36	38	43
		F	22	24	24	30	17	20	20	22	35	20
161	Larynx	M	226	201	214	217	218	214	216	200	212	186
		F	51	33	40	45	53	45	42	45	51	39
162	Lung primary, trachea	M	2 032	2 100	2 089	2 094	2 046	1 978	2 047	1 958	2 012	2 117
		F	1 173	1 154	1 250	1 393	1 338	1 336	1 447	1 450	1 535	1 558
162.2	Pleura	M	46	67	64	60	69	61	87	67	88	63
		F	11	15	18	20	14	17	13	16	14	13
163	Lung, not specified as primary	M	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-

Tabel 7 Antallet af nydiagnostiserede cancertilfælde 1991 – 2000, efter primær lokalisation og køn.

Table 7

Number of newly diagnosed cases of cancer 1991-2000, by primary site and sex.

ICD 7. revision	Site	Sex	Diagnoseår Year of diagnosis									
			1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
164	Mediastinum	M	18	6	10	7	8	8	10	11	9	16
		F	4	6	6	2	11	8	5	14	10	9
170	Breast	M	25	18	20	27	21	17	27	29	30	15
		F	3 190	3 492	3 265	3 351	3 417	3 598	3 607	3 710	3 796	3 890
<b>171-176</b>	<b>Female genital organs</b>	<b>M</b>	-	-	-	-	-	-	-	-	-	-
		<b>F</b>	<b>1 896</b>	<b>1 960</b>	<b>1 892</b>	<b>1 878</b>	<b>1 860</b>	<b>1 831</b>	<b>1 784</b>	<b>1 801</b>	<b>1 809</b>	<b>1 760</b>
171	Cervix uteri	M	-	-	-	-	-	-	-	-	-	-
		F	517	533	470	488	490	480	428	426	428	391
172	Corpus uteri	M	-	-	-	-	-	-	-	-	-	-
		F	611	652	674	623	610	585	588	585	609	604
173-174	Uterus, other and unspecified parts	M	-	-	-	-	-	-	-	-	-	-
		F	30	38	37	57	35	42	40	43	30	33
175	Ovary, fallopian tube and broad ligament	M	-	-	-	-	-	-	-	-	-	-
		F	618	606	583	586	601	576	589	620	621	623
176	Other and unsp. female genital organs	M	-	-	-	-	-	-	-	-	-	-
		F	120	131	128	124	124	148	139	127	121	109
<b>177-179</b>	<b>Male genital organs</b>	<b>M</b>	<b>1 856</b>	<b>1 849</b>	<b>1 786</b>	<b>1 789</b>	<b>1 755</b>	<b>1 869</b>	<b>1 962</b>	<b>2 108</b>	<b>2 209</b>	<b>2 256</b>
		<b>F</b>	-	-	-	-	-	-	-	-	-	-
177	Prostate	M	1 541	1 528	1 458	1 424	1 403	1 535	1 622	1 778	1 854	1 933
		F	-	-	-	-	-	-	-	-	-	-
178	Testis	M	268	283	291	316	296	290	296	285	293	278
		F	-	-	-	-	-	-	-	-	-	-
179	Other and unsp. male genital organs	M	47	38	37	49	56	44	44	45	62	45
		F	-	-	-	-	-	-	-	-	-	-
<b>180-181</b>	<b>Urinary system</b>	<b>M</b>	<b>1 588</b>	<b>1 627</b>	<b>1 645</b>	<b>1 616</b>	<b>1 494</b>	<b>1 575</b>	<b>1 618</b>	<b>1 690</b>	<b>1 680</b>	<b>1 619</b>
		<b>F</b>	<b>692</b>	<b>703</b>	<b>699</b>	<b>748</b>	<b>630</b>	<b>639</b>	<b>638</b>	<b>759</b>	<b>686</b>	<b>699</b>
180	Kidney	M	372	430	392	406	361	414	399	409	432	420
		F	285	292	282	315	261	251	229	329	271	290
181	Urinary bladder incl. papilloma	M	1 216	1 197	1 253	1 210	1 133	1 161	1 219	1 281	1 248	1 199
		F	407	411	417	433	369	388	409	430	415	409
<b>190-191</b>	<b>Skin</b>	<b>M</b>	<b>2 652</b>	<b>2 865</b>	<b>2 669</b>	<b>2 835</b>	<b>3 001</b>	<b>2 981</b>	<b>3 195</b>	<b>3 148</b>	<b>3 260</b>	<b>3 251</b>
		<b>F</b>	<b>2 652</b>	<b>2 917</b>	<b>2 943</b>	<b>3 064</b>	<b>3 231</b>	<b>3 178</b>	<b>3 263</b>	<b>3 268</b>	<b>3 441</b>	<b>3 699</b>
190	Melanoma of skin	M	330	330	347	383	425	386	399	402	435	503
		F	435	481	463	540	574	494	508	484	563	605
191	Other skin	M	2 322	2 535	2 322	2 452	2 576	2 595	2 796	2 746	2 825	2 748
		F	2 217	2 436	2 480	2 524	2 657	2 684	2 755	2 784	2 878	3 094
<b>192-197</b>	<b>Other specified sites</b>	<b>M</b>	<b>538</b>	<b>557</b>	<b>534</b>	<b>535</b>	<b>627</b>	<b>615</b>	<b>601</b>	<b>689</b>	<b>633</b>	<b>648</b>
		<b>F</b>	<b>637</b>	<b>606</b>	<b>632</b>	<b>633</b>	<b>627</b>	<b>684</b>	<b>687</b>	<b>791</b>	<b>747</b>	<b>796</b>
192	Eye and lachrymal glands	M	33	34	38	36	42	35	28	52	30	35
		F	29	31	37	38	32	30	43	30	37	33
193	Brain and nervous system	M	382	411	390	393	450	431	466	486	464	484
		F	440	416	440	448	447	484	467	582	519	552
194	Thyroid	M	31	24	26	26	43	44	34	42	37	52
		F	86	84	73	84	82	107	83	101	107	119
195	Endocrine glands	M	13	10	14	6	14	14	4	12	15	9
		F	15	14	11	6	14	5	8	13	6	11
196	Bone	M	16	21	11	21	31	21	18	24	16	16
		F	11	17	21	23	14	15	21	19	11	16
197	Connective tissue	M	63	57	55	53	47	70	51	73	71	52
		F	56	44	50	34	38	43	65	46	67	65

Tabel 7 Antallet af nydiagnostiserede cancertilfælde 1991 – 2000, efter primær lokalisation og køn.

Table 7

*Number of newly diagnosed cases of cancer 1991-2000, by primary site and sex.*

ICD 7. revision	Site	Sex	Diagnoseår Year of diagnosis									
			1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
198-199	Secondary and unspecified sites	M	360	389	409	388	427	444	402	437	392	399
		F	474	466	520	490	530	499	482	461	498	481
198	Metastases	M	182	171	189	154	172	201	214	228	189	208
		F	221	186	217	190	211	208	214	210	216	212
199	Other and unspecified sites	M	178	218	220	234	255	243	188	209	203	191
		F	253	280	303	300	319	291	268	251	282	269
200-205	Lymphatic and hematopoietic tiss.	M	<b>1 009</b>	<b>1 025</b>	<b>934</b>	<b>1 032</b>	<b>1 031</b>	<b>1 021</b>	<b>1 046</b>	<b>1 031</b>	<b>1 115</b>	<b>1 039</b>
		F	<b>860</b>	<b>848</b>	<b>869</b>	<b>826</b>	<b>832</b>	<b>823</b>	<b>857</b>	<b>899</b>	<b>845</b>	<b>907</b>
200,202	Non-Hodgkin lymphoma	M	358	374	342	381	396	399	395	382	406	376
		F	335	339	359	313	344	335	363	352	345	374
201	Hodgkin's disease	M	93	75	76	73	64	67	78	79	72	58
		F	67	45	47	51	50	49	48	49	39	55
203	Multiple myeloma	M	156	179	153	175	170	182	176	163	177	181
		F	130	153	153	130	146	128	134	142	135	163
204	Leukemia	M	388	391	349	395	391	366	389	401	450	414
		F	325	307	305	326	290	302	309	345	321	307
205	Mycosis fungoides	M	14	6	14	8	10	7	8	6	10	10
		F	3	4	5	6	2	9	3	11	5	8

Tabel 8 Prævalensen den 31. december 2000 opdelt efter primær lokalisation og køn.

Table 8 Prevalence at 31 December 2000 by primary site and sex

ICD 7. revision	Site	Sex	Total	År efter diagnose Years after diagnosis			
				<1	1-4	5-9	10+
<b>140-205</b>	<b>All malignant neoplasms</b>	<b>M</b>	<b>10 068</b>	<b>25 750</b>	<b>19 189</b>	<b>26 860</b>	<b>81 867</b>
		<b>F</b>	<b>11 847</b>	<b>33 853</b>	<b>29 404</b>	<b>52 158</b>	<b>127 262</b>
<b>140-205</b>	<b>All sarcomas, incl. bone &amp; conn. tissue</b>	<b>M</b>	<b>123</b>	<b>380</b>	<b>277</b>	<b>693</b>	<b>1 473</b>
		<b>F</b>	<b>146</b>	<b>370</b>	<b>302</b>	<b>870</b>	<b>1 688</b>
<b>140-148</b>	<b>Buccal cavity and pharynx</b>	<b>M</b>	<b>370</b>	<b>895</b>	<b>665</b>	<b>1 202</b>	<b>3 132</b>
		<b>F</b>	<b>204</b>	<b>450</b>	<b>329</b>	<b>614</b>	<b>1 597</b>
140	Lip	M	51	241	293	793	1 378
		F	29	74	63	99	265
141	Tongue	M	65	119	47	35	266
		F	31	70	47	61	209
142	Salivary glands	M	25	68	58	144	295
		F	29	64	47	253	393
<b>143-144</b>	<b>Mouth</b>	<b>M</b>	<b>106</b>	<b>237</b>	<b>146</b>	<b>110</b>	<b>599</b>
		<b>F</b>	<b>62</b>	<b>143</b>	<b>121</b>	<b>132</b>	<b>458</b>
<b>145-148</b>	<b>Pharynx</b>	<b>M</b>	<b>131</b>	<b>239</b>	<b>122</b>	<b>122</b>	<b>614</b>
		<b>F</b>	<b>58</b>	<b>105</b>	<b>61</b>	<b>69</b>	<b>293</b>
<b>150-159</b>	<b>Digestive organs and peritoneum</b>	<b>M</b>	<b>1 821</b>	<b>3 512</b>	<b>2 222</b>	<b>2 726</b>	<b>10 281</b>
		<b>F</b>	<b>1 602</b>	<b>3 536</b>	<b>2 546</b>	<b>4 131</b>	<b>11 815</b>
150	Esophagus	M	123	81	33	9	246
		F	47	35	14	21	117
151	Stomach	M	167	215	138	232	752
		F	71	126	102	202	501
152	Small intestine	M	16	48	31	42	137
		F	17	34	21	42	114
153	Colon	M	787	1 905	1 177	1 413	5 282
	incl. rectosigmoid	F	889	2 307	1 685	2 586	7 467
154	Rectum, excl. anus	M	541	1 196	794	973	3 504
		F	374	952	682	1 199	3 207
155.0	Liver	M	44	29	13	7	93
		F	29	19	7	7	62
155.1	Gallbladder, bil. pass., amp. Vater	M	21	34	17	12	84
		F	34	33	23	35	125
156	Liver, not spec. as primary	M	27	2	1	3	33
		F	32	8	2	6	48
157	Pancreas	M	99	45	22	19	185
		F	115	43	20	27	205
<b>158-159</b>	<b>Peritoneum and other dig. organs</b>	<b>M</b>	<b>16</b>	<b>19</b>	<b>15</b>	<b>38</b>	<b>88</b>
		<b>F</b>	<b>11</b>	<b>29</b>	<b>9</b>	<b>27</b>	<b>76</b>
<b>160-164</b>	<b>Respiratory system</b>	<b>M</b>	<b>1 225</b>	<b>1 368</b>	<b>833</b>	<b>1 063</b>	<b>4 489</b>
		<b>F</b>	<b>851</b>	<b>881</b>	<b>431</b>	<b>516</b>	<b>2 679</b>
160	Nasal cavities and sinuses	M	36	84	53	77	250
		F	17	60	38	63	178
161	Larynx	M	161	513	391	516	1 581
		F	30	110	81	135	356
162	Lung primary, trachea	M	998	746	382	441	2 567
		F	795	705	309	304	2 113
162.2	Pleura	M	34	31	7	.	72
		F	7	6	2	4	19

Tabel 8 Prævalensen den 31. december 2000 opdelt efter primær lokalisation og køn.

Table 8 Prevalence at 31 December 2000 by primary site and sex

ICD 7. revision	Site	Sex	Total	År efter diagnose Years after diagnosis			
				<1	1-4	5-9	10+
163	Lung, not specified as primary	M	.	.	.	4	4
		F	.	.	.	3	3
164	Mediastinum	M	5	7	6	26	44
		F	6	4	1	7	18
170	Breast	M	15	78	51	46	190
		F	3 633	11 326	9 332	14 001	38 292
<b>171-176</b>	<b>Female genital organs</b>	<b>M</b>	.	.	.	.	.
		<b>F</b>	<b>1 493</b>	<b>4 360</b>	<b>4 310</b>	<b>13 890</b>	<b>24 053</b>
171	Cervix uteri	M	.	.	.	.	.
		F	356	1 203	1 442	6 992	9 993
172	Corpus uteri	M	.	.	.	.	.
		F	563	1 801	1 934	4 715	9 013
173-174	Uterus, other and unspecified parts	M	.	.	.	.	.
		F	25	84	87	195	391
175	Ovary, fallopian tube and broad ligament	M	.	.	.	.	.
		F	490	1 030	675	1 681	3 876
176	Other and unsp. female genital organs	M	.	.	.	.	.
		F	89	297	229	401	1 016
<b>177-179</b>	<b>Male genital organs</b>	<b>M</b>	<b>2 003</b>	<b>4 638</b>	<b>2 545</b>	<b>4 222</b>	<b>13 408</b>
		<b>F</b>	.	.	.	.	.
177	Prostate	M	1 704	3 435	1 173	663	6 975
		F	.	.	.	.	.
178	Testis	M	267	1 100	1 279	3 382	6 028
		F	.	.	.	.	.
179	Other and unsp. male genital organs	M	39	121	101	179	440
		F	.	.	.	.	.
<b>180-181</b>	<b>Urinary system</b>	<b>M</b>	<b>1 301</b>	<b>3 670</b>	<b>2 857</b>	<b>3 508</b>	<b>11 336</b>
		<b>F</b>	<b>490</b>	<b>1 336</b>	<b>1 168</b>	<b>1 731</b>	<b>4 725</b>
180	Kidney	M	301	724	536	658	2 219
		F	181	454	370	572	1 577
181	Urinary bladder incl. papilloma	M	1 044	3 037	2 360	2 894	9 335
		F	330	913	817	1 183	3 243
<b>190-191</b>	<b>Skin</b>	<b>M</b>	<b>2 980</b>	<b>9 959</b>	<b>8 355</b>	<b>10 410</b>	<b>31 704</b>
		<b>F</b>	<b>3 467</b>	<b>11 208</b>	<b>10 328</b>	<b>13 990</b>	<b>38 993</b>
190	Melanoma of skin	M	486	1 299	1 095	1 526	4 406
		F	594	1 814	1 869	3 384	7 661
191	Other skin	M	2 568	8 819	7 368	8 953	27 708
		F	2 945	9 587	8 605	10 729	31 866
<b>192-197</b>	<b>Other specified sites</b>	<b>M</b>	<b>504</b>	<b>1 317</b>	<b>1 084</b>	<b>2 282</b>	<b>5 187</b>
		<b>F</b>	<b>647</b>	<b>1 804</b>	<b>1 514</b>	<b>3 219</b>	<b>7 184</b>
192	Eye and lachrymal glands	M	35	97	93	238	463
		F	32	106	94	251	483
193	Brain and nervous system	M	362	865	730	1 389	3 346
		F	434	1 198	1 010	1 920	4 562
194	Thyroid	M	40	115	87	164	406
		F	105	303	263	609	1 280
195	Endocrine glands	M	7	20	17	31	75
		F	9	14	15	35	73

**Tabel 8** Prævalensen den 31. december 2000 opdelt efter primær lokalisation og køn.

**Table 8** Prevalence at 31 December 2000 by primary site and sex

ICD 7. revision	Site	Sex	Total	År efter diagnose Years after diagnosis			
				<1	1-4	5-9	10+
196	Bone	M	15	57	49	186	307
		F	15	45	43	126	229
197	Connective tissue	M	46	167	110	276	599
		F	53	141	93	281	568
<b>198-199</b>	<b>Secondary and unspecified sites</b>	<b>M</b>	<b>141</b>	<b>195</b>	<b>91</b>	<b>134</b>	<b>561</b>
		<b>F</b>	<b>151</b>	<b>213</b>	<b>123</b>	<b>180</b>	<b>667</b>
198	Metastases	M	88	111	49	78	326
		F	85	98	65	103	351
199	Other and unspecified sites	M	53	84	42	56	235
		F	66	115	58	77	316
<b>200-205</b>	<b>Lymphatic and hematopoietic tiss.</b>	<b>M</b>	<b>815</b>	<b>2 088</b>	<b>1 422</b>	<b>1 866</b>	<b>6 191</b>
		<b>F</b>	<b>716</b>	<b>1 769</b>	<b>1 217</b>	<b>1 596</b>	<b>5 298</b>
200,202	Non-Hodgkin lymphoma	M	298	790	591	706	2 385
		F	306	779	573	619	2 277
201	Hodgkin's disease	M	57	239	253	656	1 205
		F	53	153	167	492	865
203	Multiple myeloma	M	135	285	110	38	568
		F	130	234	92	50	506
204	Leukemia	M	320	761	449	444	1 974
		F	223	588	377	415	1 603
205	Mycosis fungoides	M	10	19	20	25	74
		F	8	20	13	21	62

**Tabel 9 Danmarks middelbefolkningstal, 2000**

Sex	Alder (years)	Total	Kommune <i>Municipality</i>		Amt <i>County</i>			
			Køben- havn	Frederiks- berg	Køben- havn	Frederiks- borg	Roskilde	Vest- sjælland
<b>Mænd</b>	<b>All ages</b>	<b>2 637 878</b>	<b>242 179</b>	<b>42 270</b>	<b>297 751</b>	<b>180 603</b>	<b>115 201</b>	<b>146 869</b>
<i>Males</i>	0-4	173 883	15 784	2 860	20 171	12 551	8 287	9 263
	05-09	176 896	11 461	1 739	21 317	13 432	8 485	10 029
	10-14	155 866	8 731	1 342	18 230	11 560	6 953	9 165
	15-19	142 053	8 041	1 239	15 900	9 683	6 023	8 269
	20-24	168 417	22 832	2 726	17 323	8 661	6 061	7 944
	25-29	194 429	37 213	5 211	17 327	8 982	6 860	8 875
	30-34	208 676	29 207	5 193	21 689	13 005	9 119	10 662
	35-39	208 215	21 768	3 934	24 072	14 831	9 597	11 327
	40-44	190 288	16 077	2 685	22 454	13 614	8 259	10 891
	45-49	184 978	14 070	2 444	20 928	12 998	8 063	10 866
	50-54	200 402	14 066	2 943	22 979	15 189	9 829	12 044
	55-59	173 737	11 939	2 598	20 763	14 101	9 463	10 182
	60-64	129 637	8 203	1 809	15 379	10 275	6 325	7 752
	65-69	104 127	6 260	1 462	12 351	7 683	4 456	6 197
	70-74	87 820	5 488	1 289	10 643	5 886	3 141	5 256
	75-79	68 512	4 959	1 312	8 479	4 334	2 226	4 064
	80-84	41 913	3 465	840	4 944	2 393	1 316	2 481
	85+	28 029	2 615	644	2 802	1 425	738	1 602
<b>Kvinder</b>	<b>All ages</b>	<b>2 699 466</b>	<b>253 847</b>	<b>48 324</b>	<b>316 036</b>	<b>186 034</b>	<b>117 259</b>	<b>149 298</b>
<i>Females</i>	0-4	164 851	15 004	2 770	19 080	12 021	7 553	8 756
	05-09	168 236	10 811	1 730	20 098	12 733	8 021	9 854
	10-14	147 702	8 386	1 282	17 382	10 685	6 631	8 733
	15-19	136 599	7 946	1 257	15 184	9 398	5 948	7 930
	20-24	164 091	27 934	3 348	15 706	7 734	5 510	7 628
	25-29	189 868	37 067	5 568	17 007	9 399	6 975	8 583
	30-34	199 682	25 399	4 852	22 516	13 615	9 372	10 322
	35-39	199 634	17 773	3 359	24 711	15 167	9 467	11 046
	40-44	184 028	13 665	2 492	22 308	13 416	8 267	10 657
	45-49	180 885	12 952	2 520	21 514	13 254	8 412	10 565
	50-54	196 312	13 388	3 217	23 722	15 939	10 331	11 422
	55-59	172 283	11 493	2 990	21 959	14 349	9 242	9 862
	60-64	134 165	8 351	2 286	17 159	10 341	6 109	7 757
	65-69	115 519	7 790	1 946	14 849	8 109	4 567	6 791
	70-74	106 128	8 331	2 137	14 023	6 732	3 608	6 154
	75-79	97 643	9 387	2 333	12 648	5 580	3 080	5 600
	80-84	71 934	8 484	1 976	8 697	4 018	2 140	3 967
	85+	69 906	9 686	2 261	7 473	3 544	2 026	3 671

Amt County									
Stor- strøm	Born- holm	Fyn	Sønder- jylland	Ribe	Vejle	Ring- købing	Århus	Viborg	Nord- jylland
<b>128 524</b>	<b>21 848</b>	<b>232 925</b>	<b>126 482</b>	<b>112 625</b>	<b>173 504</b>	<b>137 274</b>	<b>315 396</b>	<b>117 783</b>	<b>246 644</b>
7 164	1 146	14 784	8 153	7 527	11 802	9 246	21 801	7 798	15 546
7 924	1 452	15 549	8 845	8 171	12 152	9 860	21 491	8 358	16 631
7 729	1 381	13 850	8 193	7 388	10 537	9 209	18 663	7 751	15 184
7 246	1 357	12 723	7 732	7 060	10 001	8 592	16 811	7 230	14 146
6 641	1 003	15 053	7 303	6 955	10 753	8 738	22 842	7 042	16 540
6 883	992	16 297	7 447	7 186	11 999	8 933	26 302	6 968	16 954
8 381	1 270	17 354	9 033	8 289	13 788	10 162	25 036	8 294	18 194
9 139	1 616	17 713	9 422	8 694	13 561	10 381	24 565	8 803	18 792
9 470	1 628	16 628	9 308	8 226	12 497	9 721	22 768	8 604	17 458
9 969	1 779	16 597	9 003	8 081	12 117	9 813	22 508	8 734	17 008
11 030	1 912	17 798	9 511	8 446	13 168	10 279	23 711	8 819	18 678
9 641	1 590	15 285	8 391	7 144	11 043	8 834	19 525	7 338	15 900
7 351	1 249	11 914	6 849	5 384	8 465	6 563	14 240	5 643	12 236
6 172	991	9 744	5 721	4 488	6 831	5 407	11 180	4 910	10 274
5 447	930	8 405	4 776	3 843	5 711	4 507	9 308	4 376	8 814
4 169	739	6 401	3 648	2 848	4 477	3 382	7 197	3 389	6 888
2 478	498	4 074	1 764	1 738	2 730	2 152	4 480	2 172	4 388
1 690	315	2 756	1 383	1 157	1 872	1 495	2 968	1 554	3 013
<b>130 706</b>	<b>22 385</b>	<b>238 940</b>	<b>127 071</b>	<b>111 995</b>	<b>174 892</b>	<b>136 024</b>	<b>322 549</b>	<b>116 265</b>	<b>247 841</b>
6 872	1 176	14 030	7 587	7 391	11 236	8 906	20 569	7 240	14 660
7 574	1 343	14 914	8 346	7 889	11 394	9 325	20 481	7 904	15 819
7 424	1 398	13 135	7 954	6 986	9 962	8 453	17 792	7 104	14 395
6 960	1 263	12 171	7 509	6 551	9 464	8 355	16 310	6 834	13 519
5 935	796	14 353	6 472	6 332	10 196	7 916	23 015	6 071	15 145
6 539	986	15 963	6 997	6 779	11 577	8 332	25 814	6 592	15 690
8 074	1 272	16 581	8 455	7 895	12 979	9 295	24 196	7 873	16 986
9 095	1 599	16 997	9 154	8 202	13 028	9 911	23 977	8 348	17 800
9 379	1 633	16 409	8 950	7 925	11 864	9 481	22 196	8 189	17 197
9 542	1 670	16 142	8 649	7 666	11 740	9 221	22 329	8 089	16 620
10 476	1 766	17 578	9 084	7 875	12 680	9 878	23 055	8 153	17 748
9 237	1 543	15 075	8 244	6 809	11 064	8 364	19 087	7 126	15 839
7 559	1 257	12 129	7 098	5 534	8 686	6 703	14 710	5 904	12 582
6 547	1 140	10 809	6 138	4 823	7 428	5 850	12 333	5 378	11 021
6 175	1 068	9 855	5 359	4 298	6 711	5 294	11 383	4 757	10 243
5 520	1 025	9 115	4 806	3 756	6 131	4 361	10 440	4 397	9 464
4 021	723	6 915	2 794	2 780	4 456	3 313	7 611	3 215	6 824
3 777	727	6 769	3 475	2 504	4 296	3 066	7 251	3 091	6 289

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).  
**Table 10** Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases

ICD 7. revision	(Danish Cancer Registry Code)
<b>140-205</b>	<b>All malignant neoplasms</b>
<b>140-205</b>	<b>All sarcomas, incl.bone &amp; conn. tissue</b>
196.0	Bones of skull and face
196.1	Mandible
196.2	Vertebral column
196.3	Rib, sternum, clavicle and associated joints
196.4	Long bones of upper limb, scapula
196.5	Short bones of upper limb
196.6	Pelvic bones
196.7	Long bones of lower limb
196.8	Short bones of lower limb
196.9	Bones
197.0	Connective tissue, head
197.5	Connective tissue, body
197.6	Connective tissue, upper limb and shoulder
197.7	Connective tissue, lower limb and hip
197.9	Connective tissue, not otherwise specified
296.1	Mandible, adamantinoma
399.6	Sarcoma metastasis, excluding lymph nodes
596.5	Dermatofibrosarcoma protuberans
598.0	Sarcoma metastasis to lymph node
840.0	Lip, not otherwise specified, other sarcoma
840.1	Lip, lower, other sarcoma
840.2	Lip, upper, other sarcoma
841.0	Tongue, not otherwise specified, other sarcoma
841.1	Tongue, base, other sarcoma
842.0	Salivary glands, not otherwise specified, other sarcoma
843.0	Mouth, other sarcoma
844.0	Palate, other sarcoma
844.2	Cheek, inner side, other sarcoma
845.0	Tonsil, other sarcoma
845.8	Mesopharynx, other sarcoma
846.0	Nasopharynx, other sarcoma
847.0	Hypopharynx, other sarcoma
848.0	Pharynx, not otherwise specified, other sarcoma
850.0	Oesophagus, other sarcoma
851.0	Stomach, other sarcoma
851.1	Stomach, fundus, cardia, other sarcoma
851.2	Stomach, corpus, other sarcoma
851.3	Stomach, pylorus, other sarcoma
852.0	Small intestine, other sarcoma
852.1	Duodenum, other sarcoma
852.2	Ileum and jejunum, other sarcoma
853.0	Colon, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
853.1	Colon, transverse, other sarcoma
853.2	Colon, descending and sigmoid flexure, other sarcoma
853.3	Colon, sigmoid and rectosigmoid, other sarcoma
853.4	Colon, hepatic and splenic flexure, other sarcoma
853.5	Colon, caecum, other sarcoma
854.0	Rectum, other sarcoma
854.9	Intestinal tract, not otherwise specified, other sarcoma
855.0	Liver, other sarcoma
855.1	Bile duct, other sarcoma
855.3	Gall-bladder, other sarcoma
856.0	Liver, not specified as primary, other sarcoma
857.0	Pancreas, other sarcoma
858.0	Peritoneum, other sarcoma
859.0	Retroperitoneum, other sarcoma
860.0	Nasal cavity, other sarcoma
860.1	Ethmoid sinus, other sarcoma
860.2	Maxillary sinus, other sarcoma
861.0	Larynx, other sarcoma
861.1	Glottis, vocal cord, not otherwise specified, sarcoma
862.1	Lung, other sarcoma
862.2	Pleura, other sarcoma
862.7	Lung, uncertain whether primary, other sarcoma
863.0	Tumour of lung, other sarcoma
864.0	Mediastinum, other sarcoma
870.0	Breast, other sarcoma
870.1	Breast, left, other sarcoma
870.2	Breast, right, other sarcoma
871.0	Cervix, other sarcoma
872.0	Corpus uteri, other sarcoma
873.0	Uterus, other sarcoma
874.0	Uterus, corpus and neck, not otherwise specified, other sarcoma
875.0	Ovary, other sarcoma
875.5	Fallopian tube and broad ligament, other sarcoma
876.0	Vulva, other sarcoma
876.1	Vagina, other sarcoma
876.2	Labium majus, other sarcoma
876.3	Clitoris, other sarcoma
876.5	Vulva and vagina, other sarcoma
876.9	Female genital tract, not otherwise specified, other sarcoma
877.0	Prostate gland, other sarcoma
878.0	Testis, not otherwise specified, other sarcoma
878.1	Testis, left, other sarcoma
878.2	Testis, right, other sarcoma
879.0	Penis, other sarcoma
879.1	Scrotum, other sarcoma
879.2	Epididymis and spermatic cord, other sarcoma
879.3	Seminal vesicle, other sarcoma
880.0	Kidney, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
880.1	Ureter, other sarcoma
880.2	Renal pelvis, other sarcoma
881.0	Urinary bladder, other sarcoma
881.7	Urethra, other sarcoma
891.0	Skin of lip, other sarcoma
891.1	Skin of eye, other sarcoma
891.2	Skin of ear, other sarcoma
891.3	Skin of face, other sarcoma
891.4	Skin of scalp, other sarcoma
891.5	Skin of body, other sarcoma
891.6	Skin of upper limb, other sarcoma
891.7	Skin of lower limb, other sarcoma
891.8	Skin, multiple sites, other sarcoma
891.9	Skin, not otherwise specified, other sarcoma
892.0	Eye, other sarcoma
892.2	Conjunctiva, other sarcoma
892.3	Orbit, other sarcoma
893.0	Brain, other and unspecified sarcomas
893.1	Spinal cord, other and unspecified sarcomas
893.2	Meninges, other and unspecified sarcomas
893.3	Peripheral nerves, neurofibrosarcoma, neuroblastoma
893.4	Peripheral nerves, other and unspecified sarcomas
893.5	Spinal cord, neurofibrosarcoma
894.0	Thyroid, other sarcoma
895.0	Suprarenal gland, other sarcoma
895.4	Pituitary gland, hypophysis, other sarcoma
899.1	Unspecified site, head and neck, other sarcoma
899.2	Unspecified site, thorax, other sarcoma
899.3	Unspecified site, abdomen, other sarcoma
899.4	Unspecified site, column and pelvis, other sarcoma
899.5	Unspecified site, extremities, other sarcoma
899.9	Unspecified site, other sarcoma
<b>140-148</b>	<b>Buccal cavity and pharynx</b>
140	Lip
140.0	Lip, not otherwise specified
140.1	Lip, lower
140.2	Lip, upper
440.0	Lip, not otherwise specified, special case
440.1	Lip, lower, special case
440.2	Lip, upper, special case
840.0	Lip, not otherwise specified, other sarcoma
840.1	Lip, lower, other sarcoma
840.2	Lip, upper, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
141	Tongue
	141.0 Tongue, not otherwise specified
	141.1 Tongue, base
	141.8 Tongue, other specified
	841.0 Tongue, not otherwise specified, other sarcoma
	841.1 Tongue, base, other sarcoma
142	Salivary glands
	142.0 Salivary gland, not otherwise specified
	142.1 Salivary gland, carcinoma
	142.3 Salivary gland, malignant mixed tumour
	442.0 Salivary gland, mixed tumour, benign
	442.1 Salivary gland, carcinoma, special case
	442.4 Salivary gland, Warthin's tumour
	842.0 Salivary glands, not otherwise specified, other sarcoma
143-144	Mouth
	143.0 Mouth
	144.0 Palate, not otherwise specified
	144.2 Cheek, inner side
	443.0 Mouth, special case
	444.0 Palatal melanoma
	444.2 Cheek, inner side, special case
	843.0 Mouth, other sarcoma
	844.0 Palate, other sarcoma
	844.2 Cheek, inner side, other sarcoma
145-148	Pharynx
	145.0 Tonsil
	145.8 Mesopharynx
	146.0 Nasopharynx
	146.4 Nasopharynx, lymphoepithelioma
	147.0 Hypopharynx
	148.0 Pharynx, not otherwise specified
	445.0 Tonsil, special case
	446.0 Nasopharynx, special case
	448.0 Pharynx, not otherwise specified, special case
	845.0 Tonsil, other sarcoma
	845.8 Mesopharynx, other sarcoma
	846.0 Nasopharynx, other sarcoma
	847.0 Hypopharynx, other sarcoma
	848.0 Pharynx, not otherwise specified, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
<b>150-159</b>	<b>Digestive organs and peritoneum</b>
150	Esophagus
150.0	Oesophagus
150.1	Oesophagus, adenocarcinoma
150.2	Oesophagus, cardia
450.0	Oesophagus, special case
850.0	Oesophagus, other sarcoma
151	Stomach
151.0	Stomach, not otherwise specified
151.1	Stomach, fundus, cardia
151.2	Stomach, corpus
151.3	Stomach, pylorus
451.0	Stomach, not otherwise specified, special case
451.1	Stomach, fundus, cardia, special case
451.2	Stomach, corpus, special case
451.3	Stomach, pylorus, special case
851.0	Stomach, other sarcoma
851.1	Stomach, fundus, cardia, other sarcoma
851.2	Stomach, corpus, other sarcoma
851.3	Stomach, pylorus, other sarcoma
152	Small intestine
152.0	Small intestine, not otherwise specified
152.1	Duodenum
152.2	Ileum and jejunum
452.0	Small intestine, special case/carcinoid
452.1	Duodenum, special case/carcinoid
452.2	Ileum and jejunum, special case/carcinoid
852.0	Small intestine, other sarcoma
852.1	Duodenum, other sarcoma
852.2	Ileum and jejunum, other sarcoma
153	Colon incl. rectosigmoid
153.0	Colon, not otherwise specified
153.4	Colon, appendix
153.5	Colon, caecum
154.9	Intestinal tract, not otherwise specified
253.0	Colon, ascending
253.1	Colon, transverse
253.2	Colon, descending and sigmoid flexure
253.3	Colon, sigmoid and rectosigmoid

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
	253.4 Colon, hepatic and splenic flexure
	453.0 Colon, not otherwise specified, special case/carcinoid
	453.1 Colon, transverse, special case/carcinoid
	453.2 Colon, descending and sigmoid flexure, special case/carcinoid
	453.3 Colon, sigmoid and rectosigmoid, special case/carcinoid
	453.4 Colon, hepatic and splenic flexure, special case/carcinoid
	453.5 Colon, caecum, special case/carcinoid
	453.8 Colon, multiple tumours
	454.9 Intestinal tract, not otherwise specified, special case
	853.0 Colon, other sarcoma
	853.1 Colon, transverse, other sarcoma
	853.2 Colon, descending and sigmoid flexure, other sarcoma
	853.3 Colon, sigmoid and rectosigmoid, other sarcoma
	853.4 Colon, hepatic and splenic flexure, other sarcoma
	853.5 Colon, caecum, other sarcoma
	854.9 Intestinal tract, not otherwise specified, other sarcoma
154	Rectum, excl. anus
	154.0 Rectum
	454.0 Rectum, melanoma, carcinoid
	854.0 Rectum, other sarcoma
155.0	Liver
	155.0 Liver
	455.0 Liver, melanoma, carcinoid, special case
	855.0 Liver, other sarcoma
155.1	Gallbladder, bil. pass., amp. Vater
	155.1 Bile duct
	155.2 Ampulla of Vater
	155.3 Gall-bladder
	455.1 Biliary duct, carcinoid or special case
	455.2 Ampulla of Vater, special case
	455.3 Gall-bladder, special case
	855.1 Bile duct, other sarcoma
	855.3 Gall-bladder, other sarcoma
156	Liver, not spec. as primary
	156.0 Liver, not specified as primary
	156.9 Liver, unspecified histologically
	456.0 Liver, not specified as primary, special case
	856.0 Liver, not specified as primary, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
157	Pancreas
	157.0 Pancreas
	457.0 Pancreas, special case
	857.0 Pancreas, other sarcoma
158-159	Peritoneum and other dig. organs
	158.0 Peritoneum
	158.1 Peritoneum, primary, mesothelioma
	159.0 Retroperitoneum
	159.9 Digestive tract, other organs
	458.0 Peritoneum, special case
	459.0 Retroperitoneum, special case
	459.9 Digestive tract, other organs, special case
	858.0 Peritoneum, other sarcoma
	859.0 Retroperitoneum, other sarcoma
<b>160-164</b>	<b>Respiratory system</b>
160	Nasal cavities and sinuses
	160.0 Nasal cavity
	160.1 Ethmoid sinus
	160.2 Maxillary sinus
	260.0 Nasal cavity, lymphoepithelioma
	460.0 Nasal cavity, melanoma
	460.2 Maxillary sinus, melanoma
	860.0 Nasal cavity, other sarcoma
	860.1 Ethmoid sinus, other sarcoma
	860.2 Maxillary sinus, other sarcoma
161	Larynx
	161.0 Larynx
	161.1 Larynx, vocal cord
	461.0 Larynx, special case
	861.0 Larynx, other sarcoma
	861.1 Glottis, vocal cord, not otherwise specified, sarcoma
162	Lung primary, trachea
	162.0 Lung, not otherwise specified
	162.1 Lung, primary, unspecified histologically
	162.4 Lung, adenocarcinoma
	162.5 Lung, solid carcinoma, squamous cell
	162.6 Lung, anaplastic carcinoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)	
	162.7	Lung, uncertain whether primary
	262.0	Trachea
	462.0	Trachea, special case
	462.1	Lung, special case
	462.4	Lung, carcinoid
	862.1	Lung, other sarcoma
	862.7	Lung, uncertain whether primary, other sarcoma
162.2		Pleura
	162.2	Pleura
	462.2	Pleura, mesothelioma
	462.3	Pleura, special case, except mesothelioma
	862.2	Pleura, other sarcoma
163		Lung, not specified as primary
	163.0	Tumour of lung
	863.0	Tumour of lung, other sarcoma
164		Mediastinum
	164.0	Mediastinum
	464.0	Mediastinum, special case
	464.4	Mediastinum, pericardiac mesothelioma
	864.0	Mediastinum, other sarcoma
<b>170</b>	<b>Breast</b>	
	170.0	Breast, not otherwise specified
	170.1	Breast, left
	170.2	Breast, right
	170.3	Breast, bilateral primary
	170.4	Breast, bilateral, primary left
	170.5	Breast, bilateral, primary right
	470.0	Breast, not otherwise specified, special case, including cystosa
	470.1	Breast, left, special case, including cystosarcoma
	470.2	Breast, right, special case, including cystosarcoma
	470.4	Breast, bilateral, prim. left, special case, including cystosarc
	470.5	Breast, bilateral, prim. right, special case, including cystosar
	870.0	Breast, other sarcoma
	870.1	Breast, left, other sarcoma
	870.2	Breast, right, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
<b>171-176</b>	<b>Female genital organs</b>
171	Cervix uteri
171.0	Cervix, not otherwise specified
171.1	Cervix, adenocarcinoma
171.2	Cervix, solid carcinoma, squamous cell
471.0	Cervix, Gartner's duct, special case
871.0	Cervix, other sarcoma
172	Corpus uteri
172.0	Corpus uteri, not otherwise specified
172.1	Corpus uteri, adenocarcinoma
172.2	Corpus uteri, solid carcinoma
472.0	Corpus uteri, adenoachantoma
872.0	Corpus uteri, other sarcoma
173-174	Uterus, other and unspecified parts
173.0	Uterus, not otherwise specified
174.0	Uterus, corpus and neck, not otherwise specified
174.1	Uterus, corpus and neck, not otherwise specified, adenocarcinoma
473.0	Uterus, chorionepithelioma
474.0	Uterus, corpus and neck, not otherwise specified, special case
873.0	Uterus, other sarcoma
874.0	Uterus, corpus and neck, not otherwise specified, other sarcoma
175	Ovary, fallopian tube and broad ligament
175.0	Ovary, not otherwise specified
175.1	Ovary, adenocarcinoma
175.2	Ovary, cystadenocarcinoma
175.3	Ovary, other, teratomas
175.5	Fallopian tube and broad ligament
375.0	Ovary, arrhenoblastoma, mesonephroma, Brenner tumour, dysgerminoma
475.0	Ovary, granulosa cell tumour, other special
475.5	Salpinges, special case
775.5	Fallopian tube and broad ligament, lymphoreticulosarcoma
875.0	Ovary, other sarcoma
875.5	Fallopian tube and broad ligament, other sarcoma
176	Other and unsp. female genital organs
176.0	Vulva, not otherwise specified
176.1	Vagina, not otherwise specified
176.2	Labium majus

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

**Table 10** Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases

ICD 7. revision	(Danish Cancer Registry Code)
	176.3 Clitoris
	176.4 Vulva and vagina, melanoma
	176.5 Vulva and vagina, other sites
	176.6 Vulva and vagina, Gartner's duct
	176.9 Female genital tract, not otherwise specified, special case
	476.0 Vulva and vagina, special case
	476.1 Vagina, special case
	476.2 Labium majus, special case
	476.3 Clitoris, special case
	476.9 Female genital tract, not otherwise specified, special case
	876.0 Vulva, other sarcoma
	876.1 Vagina, other sarcoma
	876.2 Labium majus, other sarcoma
	876.3 Clitoris, other sarcoma
	876.5 Vulva and vagina, other sarcoma
	876.9 Female genital tract, not otherwise specified, other sarcoma
<b>177-179</b>	<b>Male genital organs</b>
	177 Prostate
	177.0 Prostate gland
	477.0 Prostate gland, special case
	877.0 Prostate gland, other sarcoma
	178 Testis
	178.0 Testis, not otherwise specified
	178.1 Testis, left, unspecified histologically
	178.2 Testis, right, unspecified histologically
	178.3 Testis, bilateral, unspecified histologically
	278.0 Testis, not otherwise specified, embryonal carcinoma
	278.1 Testis, left, embryonal carcinoma
	278.2 Testis, right, embryonal carcinoma
	278.3 Testis, bilateral, embryonal carcinoma
	378.0 Testis, not otherwise specified, seminoma
	378.1 Testis, left, seminoma
	378.2 Testis, right, seminoma
	378.3 Testis, bilateral, seminoma
	478.0 Testis, not otherwise specified, special case, chorionepitheliom
	478.1 Testis, left, special case, chorionepithelioma, mesothelioma
	478.2 Testis, right, special case, chorionepithelioma, mesothelioma
	478.3 Testis, bilateral, special case, chorionepithelioma, mesotheliom
	578.0 Testis, not otherwise specified, teratoma
	578.1 Testis, left, teratoma
	578.2 Testis, right, teratoma
	578.3 Testis, bilateral, teratoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
	678.0 Testis, not otherwise specified, adenocarcinoma
	678.1 Testis, left, adenocarcinoma
	678.2 Testis, right, adenocarcinoma
	678.3 Testis, bilateral, adenocarcinoma
	878.0 Testis, not otherwise specified, other sarcoma
	878.1 Testis, left, other sarcoma
	878.2 Testis, right, other sarcoma
179	Other and unsp. male genital organs
	179.0 Penis
	179.1 Scrotum
	179.2 Epididymis and spermatic cord
	179.3 Seminal vesicle
	479.0 Penis, special case
	479.1 Scrotum, melanoma, mesothelioma
	479.2 Epididymis and spermatic cord, special case
	479.3 Seminal vesicle, special case
	879.0 Penis, other sarcoma
	879.1 Scrotum, other sarcoma
	879.2 Epididymis and spermatic cord, other sarcoma
	879.3 Seminal vesicle, other sarcoma
<b>180-181</b>	<b>Urinary system</b>
180	Kidney
	180.0 Kidney
	180.1 Ureter
	180.2 Renal pelvis
	180.3 Hypernephroma
	480.0 Kidney, special case
	480.1 Kidney, Wilms's tumour
	480.4 Kidney, neuroblast.
	880.0 Kidney, other sarcoma
	880.1 Ureter, other sarcoma
	880.2 Renal pelvis, other sarcoma
181	Urinary bladder incl. papilloma
	181.0 Urinary bladder
	181.1 Urinary bladder, grade 1
	181.2 Urinary bladder, grade 2
	181.3 Urinary bladder, grade 3
	181.4 Urinary bladder, grade 4
	181.5 Urinary bladder, papilloma
	181.7 Urethra

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7.		(Danish Cancer Registry Code)
revision		
	481.0	Urinary bladder, special case
	481.7	Urethra, special case
	881.0	Urinary bladder, other sarcoma
	881.7	Urethra, other sarcoma
<b>190-191</b>	<b>Skin</b>	
	190	Melanoma of skin
	090.0	Melanoma of anus
	190.0	Melanoma of skin, lip
	190.1	Melanoma of skin, eye
	190.2	Melanoma of skin, ear
	190.3	Melanoma of skin, face
	190.4	Melanoma of skin, scalp
	190.5	Melanoma of skin, body
	190.6	Melanoma of skin, upper limb
	190.7	Melanoma of skin, lower limb
	190.8	Melanoma of skin, multiple sites
	190.9	Melanoma of skin, not otherwise specified
	191	Other skin
	091.0	Carcinoma of anus
	191.0	Carcinoma of skin, lip
	191.1	Carcinoma of skin, eye
	191.2	Carcinoma of skin, ear
	191.3	Carcinoma of skin, face
	191.4	Carcinoma of skin, scalp
	191.5	Carcinoma of skin, body
	191.6	Carcinoma of skin, upper limb
	191.7	Carcinoma of skin, lower limb
	191.8	Carcinoma of skin, multiple sites
	191.9	Carcinoma of skin, not otherwise specified
	491.0	Skin of lip, special case
	491.1	Skin of eye, special case
	491.2	Skin of ear, special case
	491.3	Skin of face, special case
	491.4	Skin of scalp, special case
	491.5	Skin of body, special case
	491.6	Skin of upper limb, special case
	491.7	Skin of lower limb, special case
	491.8	Skin, multiple sites, special case
	596.5	Dermatofibrosarcoma protuberans
	891.0	Skin of lip, other sarcoma
	891.1	Skin of eye, other sarcoma
	891.2	Skin of ear, other sarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
	891.3 Skin of face, other sarcoma
	891.4 Skin of scalp, other sarcoma
	891.5 Skin of body, other sarcoma
	891.6 Skin of upper limb, other sarcoma
	891.7 Skin of lower limb, other sarcoma
	891.8 Skin, multiple sites, other sarcoma
	891.9 Skin, not otherwise specified, other sarcoma
<b>192-197</b>	<b>Other specified sites</b>
192	Eye and lachrymal glands
	192.0 Eye, not otherwise specified
	192.1 Eye, retinoblastoma, glioma, neuroglioblastoma, etc.
	192.2 Conjunctiva
	192.3 Orbit
	192.4 Eye, melanoma
	192.5 Lachrymal gland and duct
	492.2 Conjunctiva, special case
	492.3 Orbit, special case
	892.0 Eye, other sarcoma
	892.2 Conjunctiva, other sarcoma
	892.3 Orbit, other sarcoma
193	Brain and nervous system
	093.1 Brain, not otherwise specified
	093.2 Brain, melanoma
	093.3 Brain, glioblastoma, spongioblastoma, glioma grade 4, etc.
	093.4 Brain, glioma, astrocytoma, astroblastoma
	093.5 Brain, oligodendroglioma
	093.6 Brain, ependymoma, ependymoblastoma
	093.7 Brain, medulloblastoma, medulloepithelioma, neuroblastoma, etc.
	193.0 Nervous system, not otherwise specified
	193.1 Brain, haemangioblastoma, angioma, A-V malformation
	193.2 Brain, choroid plexus papilloma and carcinoma, colloid cyst
	193.3 Brain, teratoma, choriocarcinoma, embryonic carcinoma, etc.
	293.0 Meninges, not otherwise specified
	293.1 Meningioma
	293.2 Acoustic neurinoma
	393.0 Peripheral nerves, not otherwise specified
	393.1 Peripheral nerves, neurinoma, Schwannoma, ganglioneuroma
	393.2 Peripheral nerves, neurofibroma, morbus von Recklinghausen
	493.0 Spinal cord, not otherwise specified
	493.1 Spinal cord, not specified as primary
	493.2 Spinal cord, meningioma
	493.3 Spinal cord, neurinoma, schwannoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)	
	493.4	Spinal cord, neurofibroma
	493.5	Spinal cord, ependymoma
	493.6	Spinal cord, glioma, neuroblastoma
	493.7	Spinal cord, hemangioblastoma
	893.0	Brain, other and unspecified sarcomas
	893.1	Spinal cord, other and unspecified sarcomas
	893.2	Meninges, other and unspecified sarcomas
	893.3	Peripheral nerves, neurofibrosarcoma, neuroblastoma
	893.4	Peripheral nerves, other and unspecified sarcomas
	893.5	Spinal cord, neurofibrosarcoma
194		Thyroid
	194.0	Thyroid
	494.0	Thyroid, special case
	894.0	Thyroid, other sarcoma
195		Endocrine glands
	195.0	Suprarenal gland
	195.2	Thymoma
	195.3	Parathyroid gland
	195.4	Pituitary gland, hypophysis
	195.5	Glomus jugulare, paraganglion, etc.
	195.6	Carotid body, glomus caroticus
	495.0	Suprarenal gland, special case
	495.2	Thymus, special case
	895.0	Suprarenal gland, other sarcoma
	895.4	Pituitary gland, hypophysis, other sarcoma
196		Bone
	196.0	Bones of skull and face
	196.1	Mandible
	196.2	Vertebral column
	196.3	Rib, sternum, clavicle and associated joints
	196.4	Long bones of upper limb, scapula
	196.5	Short bones of upper limb
	196.6	Pelvic bones
	196.7	Long bones of lower limb
	196.8	Short bones of lower limb
	196.9	Bones
	296.1	Mandible, adamantinoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
197	Connective tissue
197.0	Connective tissue, head
197.5	Connective tissue, body
197.6	Connective tissue, upper limb and shoulder
197.7	Connective tissue, lower limb and hip
197.9	Connective tissue, not otherwise specified
<b>198-199</b>	<b>Secondary and unspecified sites</b>
198	Metastases
099.6	Metastases
199.6	Metastasis to bone
299.6	Melanoma metastasis, excluding eye and skin
399.6	Sarcoma metastasis, excluding lymph nodes
498.0	Melanoma metastasis to lymph node
598.0	Sarcoma metastasis to lymph node
642.0	Metastasis to salivary glands
643.0	Metastasis to mouth
646.0	Metastasis to nasopharynx
650.0	Metastasis to esophagus
650.1	Metastasis to esophagus, adenocarcinoma
651.0	Metastasis to stomach
651.1	Metastasis to stomach, fundus
651.2	Metastasis to stomach, corpus
652.0	Metastasis to small intestine
652.1	Metastasis to duodenum
652.2	Metastasis to ileum and jejunum
653.0	Metastasis to colon, not otherwise specified
653.1	Metastasis to colon, transverse
653.2	Metastasis to colon, descending
653.3	Metastasis to colon, sigmoid and rectosigmoid
653.4	Metastasis to colon, appendix and flexures
653.5	Metastasis to colon, caecum
654.0	Metastasis to rectum
654.9	Metastasis to intestinal tract
655.0	Metastasis to liver
655.1	Metastasis to bile duct
655.2	Metastasis to ampulla of Vater
655.3	Metastasis to gallbladder
656.0	Metastasis to liver
656.9	Metastasis to liver, unspecified histologically
657.0	Metastasis to pancreas
658.0	Metastasis to peritoneum
659.0	Metastasis to retroperitoneum
659.9	Metastasis to digestive tract

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
661.0	Metastasis to larynx
662.2	Metastasis to pleura
663.0	Metastasis to lung
664.0	Metastasis to mediastinum
670.0	Metastasis to breast, not otherwise specified
670.1	Metastasis to breast, left
670.2	Metastasis to breast, right
670.3	Metastasis to both breasts
671.1	Metastasis to cervix uteri, adenocarcinoma
672.0	Metastasis to corpus uteri
672.1	Metastasis to corpus uteri, adenocarcinom
675.0	Metastasis to ovary, including Krukenberg's tumour
675.1	Metastasis to ovary, adenocarcinoma
675.5	Metastasis to fallopian tubes
676.0	Metastasis to vulva, not otherwise specified
676.1	Metastasis to vagina
676.9	Metastasis to female genital tract, not otherwise specified
677.0	Metastasis to prostate gland
679.0	Metastasis to penis
679.1	Metastasis to scrotum
679.2	Metastasis to epididymis and spermatic cord
680.0	Metastasis to kidney
680.1	Metastasis to ureter
680.2	Metastasis to renal pelvis
681.0	Metastasis to urinary bladder
690.2	Metastatic melanoma to skin of ear
690.3	Metastatic melanoma to skin of face
690.4	Metastatic melanoma to skin of scalp and neck
690.5	Metastatic melanoma to skin of body
690.6	Metastatic melanoma to skin of upper limb
690.7	Metastatic melanoma to skin of lower limb
690.8	Metastatic melanoma to skin of multiple sites
690.9	Metastatic melanoma to skin, not otherwise specified
691.0	Metastasis to skin of lip
691.1	Metastasis to skin of eye
691.2	Metastasis to skin of ear
691.3	Metastasis to skin of face
691.4	Metastasis to skin of scalp
691.5	Metastasis to skin of body
691.6	Metastasis to skin of upper limb
691.7	Metastasis to skin of lower limb
691.8	Metastasis to skin, multiple sites
691.9	Metastasis to skin, not otherwise specified
692.0	Metastasis to eye
693.0	Metastasis to brain
693.1	Metastasis to spinal cord
693.2	Metastasis to meninges

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
	693.3 Metastasis to peripheral nerves
	694.0 Metastasis to thyroid
	695.0 Metastasis to suprarenal gland
	695.4 Metastasis to pituitary gland
	698.0 Metastatic carcinoma to lymph node
	699.1 Metastasis to head and neck, unspecified organ
	699.2 Metastasis to thorax, unspecified organ
	699.3 Metastasis to abdomen, unspecified organ
	699.4 Metastasis to column and pelvis, unspecified organ
	699.5 Metastasis to extremities, unspecified organ
	699.9 Metastasis to unspecified organ
199	Other and unspecified sites
	199.1 Unspecified site, head and neck
	199.2 Unspecified site, thorax
	199.3 Unspecified site, abdomen
	199.4 Unspecified site, column and pelvis
	199.5 Unspecified site, extremities
	199.9 Unspecified site
	499.1 Unspecified site, head and neck, special case
	499.2 Unspecified site, thorax, special case
	499.3 Unspecified site, abdomen, special case
	499.4 Unspecified site, column and pelvis, special case
	499.5 Unspecified site, extremities, special case
	499.9 Unspecified site, special case
	899.1 Unspecified site, head and neck, other sarcoma
	899.2 Unspecified site, thorax, other sarcoma
	899.3 Unspecified site, abdomen, other sarcoma
	899.4 Unspecified site, column and pelvis, other sarcoma
	899.5 Unspecified site, extremities, other sarcoma
	899.9 Unspecified site, other sarcoma
<b>200-205</b>	<b>Lymphatic and hematopoietic tiss.</b>
200,202	Non-Hodgkin lymphoma
	198.0 Unspecified malignant lymphoma
	200.0 Reticulosarcoma of lymph node, isol. in node
	200.1 Lymphosarcoma of lymph node, isol. in node
	200.2 Lymphosarcoma in lymph nodes, lymphosarcomatosis
	200.3 Reticulosarcoma in lymph nodes, reticulosarcomatosis
	200.4 Other specified malignant lymphoma
	202.0 Brill Symmer's disease, etc.
	740.1 Lip, lower, lymphoreticulosarcoma
	740.2 Lip, upper, lymphoreticulosarcoma
	741.0 Tongue, not otherwise specified, lymphoreticulosarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
741.1	Tongue, base, lymphoreticulosarcoma
741.8	Tongue, other specified, lymphoreticulosarcoma
742.0	Salivary glands, not otherwise specified, lymphoreticulosarcoma
743.0	Mouth, lymphoreticulosarcoma
744.0	Palate, not otherwise specified, lymphoreticulosarcoma
744.2	Cheek, inner side, lymphoreticulosarcoma
745.0	Tonsil, lymphoreticulosarcoma
745.8	Mesopharynx, lymphoreticulosarcoma
746.0	Nasopharynx, lymphoreticulosarcoma
747.0	Hypopharynx, lymphoreticulosarcoma
748.0	Pharynx, not otherwise specified, lymphoreticulosarcoma
750.0	Oesophagus, lymphoreticulosarcoma
751.0	Stomach, not otherwise specified, lymphoreticulosarcoma
751.1	Stomach, fundus, cardia, lymphoreticulosarcoma
751.2	Stomach, corpus, lymphoreticulosarcoma
751.3	Stomach, pylorus, lymphoreticulosarcoma
752.0	Small intestine, not otherwise specified, lymphoreticulosarcoma
752.1	Duodenum, lymphoreticulosarcoma
752.2	Ileum and jejunum, lymphoreticulosarcoma
753.0	Colon, not otherwise specified, lymphoreticulosarcoma
753.1	Colon, transverse, lymphoreticulosarcoma
753.2	Colon, descending and sigmoid flexure, lymphoreticulosarcoma
753.3	Colon, sigmoid and rectosigmoid, lymphoreticulosarcoma
753.4	Colon, appendix, lymphoreticulosarcoma
753.5	Colon, caecum, lymphoreticulosarcoma
753.8	Colon, lymphoreticulosarcoma
754.0	Rectum, lymphoreticulosarcoma
754.9	Intestinal tract, not otherwise specified, lymphoreticulosarcoma
755.0	Liver, lymphoreticulosarcoma
755.1	Bile duct, lymphoreticulosarcoma
755.3	Gallbladder, lymphoreticulosarcoma
756.0	Liver, not specified as primary, lymphoreticulosarcoma
757.0	Pancreas, lymphoreticulosarcoma
758.0	Peritoneum, lymphoreticulosarcoma
759.0	Retroperitoneum, lymphoreticulosarcoma
760.0	Nasal cavity, lymphoreticulosarcoma
760.1	Ethmoid sinus, lymphoreticulosarcoma
760.2	Maxillary sinus, lymphoreticulosarcoma
761.0	Larynx, lymphoreticulosarcoma
761.1	Larynx, vocal cord, lymphoreticulosarcoma
762.1	Lung, primary, lymphoreticulosarcoma
762.2	Pleura, lymphoreticulosarcoma
764.0	Mediastinum, lymphoreticulosarcoma
770.0	Breast, not otherwise specified, lymphoreticulosarcoma
770.1	Breast, left, lymphoreticulosarcoma
770.2	Breast, right, lymphoreticulosarcoma
770.3	Breast, bilateral, lymphoreticulosarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)
771.0	Cervix uteri , not otherwise specified, lymphoreticulosarcoma
772.0	Corpus uteri, not otherwise specified, lymphoreticulosarcoma
774.0	Uterus, corpus and neck, not otherwise specified,
775.0	Ovary, not otherwise specified, lymphoreticulosarcoma
776.0	Vulva, not otherwise specified, lymphoreticulosarcoma
776.1	Vagina, not otherwise specified, lymphoreticulosarcoma
776.2	Labium majus, lymphoreticulosarcoma
776.5	Vulva and vagina, other sites, lymphoreticulosarcoma
776.9	Female genital tract, not otherwise specified, lymphoreticulosar
777.0	Prostate gland, lymphoreticulosarcoma
778.0	Testis, not otherwise specified, lymphoreticulosarcoma
778.1	Testis, left, lymphoreticulosarcoma
778.2	Testis, right, lymphoreticulosarcoma
778.3	Testis, bilateral, lymphoreticulosarcoma
779.0	Penis, lymphoreticulosarcoma
779.2	Epididymis and spermatic cord, lymphoreticulosarcoma
780.0	Kidney, lymphoreticulosarcoma
781.0	Urinary bladder, lymphoreticulosarcoma
791.0	Skin, lip, lymphoreticulosarcoma
791.1	Skin, eye, lymphoreticulosarcoma
791.2	Skin, ear, lymphoreticulosarcoma
791.3	Skin, face, lymphoreticulosarcoma
791.4	Skin, scalp, lymphoreticulosarcoma
791.5	Skin, body, lymphoreticulosarcoma
791.6	Skin, upper limb, lymphoreticulosarcoma
791.7	Skin, lower limb, lymphoreticulosarcoma
791.8	Skin, multiple sites, lymphoreticulosarcoma
791.9	Skin, not otherwise specified, lymphoreticulosarcoma
792.0	Eye, not otherwise specified, lymphoreticulosarcoma
792.2	Conjunctiva, lymphoreticulosarcoma
792.3	Orbit, lymphoreticulosarcoma
792.5	Lachrymal gland and duct., lymphoreticulosarcoma
793.0	Brain, lymphoma, microglioma, leukaemia, lymphoreticulosarcoma
793.1	Spinal cord, lymphoma
793.2	Meninges, lymphoma
794.0	Thyroid, lymphoreticulosarcoma
795.0	Suprarenal gland, lymphoreticulosarcoma
795.2	Thymus and other endocrine glands, lymphoreticulosarcoma
795.3	Parathyroid gland, lymphoreticulosarcoma
796.1	Mandible, lymphoreticulosarcoma
796.2	Vertebral column, lymphoreticulosarcoma
796.6	Pelvic bones, lymphoreticulosarcoma
796.7	Long bones of lower limb, lymphoreticulosarcoma
796.9	Bones, lymphoreticulosarcoma
797.5	Connective tissue, body, lymphoreticulosarcoma
797.7	Connective tissue, lower limb and hip, lymphoreticulosarcoma
799.1	Unspecified site, head and neck, lymphoreticulosarcoma

**Tabel 10** Detaljeret tumorklassifikation anvendt i det danske Cancerregister i overensstemmelse med den 7. revision af den internationale sygdomsklassifikation (ICD7).

*Table 10 Detailed tumour classification of the Danish Cancer Registry adapted in accordance with the 7th Revision of the International Classification of Diseases*

ICD 7. revision	(Danish Cancer Registry Code)	
	799.2	Unspecified site, thorax, lymphoreticulosarcoma
	799.3	Unspecified site, abdomen, lymphoreticulosarcoma
	799.4	Unspecified site, column and pelvis, lymphoreticulosarcoma
	799.5	Unspecified site, extremities, lymphoreticulosarcoma
	799.6	Unspecified site, bones, lymphoreticulosarcoma
	799.9	Unspecified site, lymphoreticulosarcoma
201		Hodgkin's disease
	201.0	Lymphogranulomatosis Hodgkin's disease
	201.1	Paragranuloma
203		Multiple myeloma
	203.0	Multiple myeloma
	203.1	Multiple myeloma, solitary
	203.2	Multiple myeloma, leukaemia
	203.3	Multiple myeloma, Waldenström
204		Leukemia
	204.0	Lymphatic leukaemia, chronic, subchronic, subacute
	204.1	Myeloid leukaemia, chronic, subchronic
	204.2	Leukaemia, monocytic
	204.3	Leukaemia, acute unspecified
	204.4	Leukaemia, not otherwise specified
	214.0	Lymphatic leukaemia, acute
	214.1	Myeloid leukaemia, acute
	404.0	Leukaemia, special
	404.4	Leukaemia, erythroleukaemia
205		Mycosis fungoides
	205.0	Mycosis fungoides

**Tabel 11** Detaljeret tumorklassifikation (morfologi/opførsel) for prækancerøse læsioner på cervix uteri (topografi, ICD-0 180) som den anvendes i det danske Cancerregister.

*Table 11 Detailed tumour classification (morphology/behaviour) of precancerous lesions of the cervix uteri (topography ICD-O 180) used by the Danish Cancer Registry*

---

7400/0	Dysplasia NOS
7406/0	Mild dysplasia, CIN I
7407/0	Moderate dysplasia, CIN II
7408/0	Severe dysplasia, CIN III
8010/2	Carcinoma-in-situ, NOS, CIN III
8070/2	Squamous cell carcinoma-in-situ, NOS, CIN III
8071/2	Squamous cell carcinoma-in-situ, keratinizing, CIN III

---